

# Package ‘msBreast’

April 23, 2008

**Type** Package

**Title** Protein Mass Spectra Dataset from a Breast Cancer Study

**Version** 1.0.1

**Date** Fri Apr 18 14:56:25 PDT 2008

**Author** Lixin Gong, William Constantine, and Yu Alex Chen

**Maintainer** Lixin Gong <lgong@insightful.com>

**Depends** R (>= 2.5.0)

**DependsPlus**

**Suggests** msProcess

**Description** This package provides a dataset of 96 protein mass spectra generated from a pooled sample of nipple aspirate fluid (NAF) from healthy breasts and breasts with cancer.

**License** GNU General Public License Version 2

**Copyright** 2007-2008 Insightful Corporation. All rights reserved.

**URL** <http://www.insightful.com/services/research/proteome/default.asp>

## R topics documented:

Breast2003QC . . . . .	2
Breast2003QCList . . . . .	3
<b>Index</b>	<b>5</b>

---

Breast2003QC*Mass Spectra from a Breast Cancer Quality Control Sample*

---

## Description

A data object of class `msSet`, consisting of 96 mass spectra generated from a pooled sample of nipple aspirate fluid (NAF) from healthy breasts and breasts with cancer. The data set was derived from `Breast2003QCList` by eliminating the mass region below 950 Da/charge. Please see the references for more details.

## Usage

```
Breast2003QC
```

## Format

An object of `msSet`. See `msSet` in package `msProcess` for details.

## Source

<http://bioinformatics.mdanderson.org/pubdata.html>

## References

Coombes, K.R., Tsavachidis, S., Morris, J.S., Baggerly, K.A., and Kuerer, H.M., "Improved peak detection and quantification of mass spectrometry data acquired from surface-enhanced laser desorption and ionization by denoising spectra with the undecimated discrete wavelet transform," *Proteomics*, **5**:4107–17, 2005.

Pawlik, T.M., Fritsche, H., Coombes, K.R., Xiao, L., Krishnamurthy, S., Hunt, K.K., Pusztai, L., Chen, J.N., Clarke, C.H., Arun, B., Hung, M.C., and Kuerer, H.M., "Significant differences in nipple aspirate fluid protein expression between healthy women and those with breast cancer demonstrated by time-of-flight mass spectrometry," *Breast Cancer Research and Treatment*, **89**(2):149–57, 2005.

Kuerer, H.M., Coombes, K.R., Chen, J.N., Xiao, L., Clarke, C., Fritsche, H., Krishnamurthy, S., Marcy, S., Hung, M.C., and Hunt, K.K., "Association between ductal fluid proteomic expression profiles and the presence of lymph node metastases in women with breast cancer," *Surgery*, **136**(5):1061–9, 2004.

Coombes, K.R., Fritsche, Jr., H.A., Clarke, C., Chen, J.N., Baggerly, K.A., Morris, J.S., Xiao, L.C., Hung, M.C., and Kuerer, H.M., "Quality control and peak finding for proteomics data collected from nipple aspirate fluid by surface-enhanced laser desorption and ionization," *Clinical Chemistry*, **49**(10):1615–23, 2003.

## See Also

[Breast2003QCList](#).

## Examples

```
if (require("msProcess")) {  
  if (!exists("Breast2003QC")) data("Breast2003QC", package="msBreast")  
  
  ## plot a few spectra  
  plot(Breast2003QC, subset=1:5)  
  
  ## image of all spectra  
  image(Breast2003QC)  
}
```

---

Breast2003QCList	<i>Mass Spectra from a Breast Cancer Quality Control Sample</i>
------------------	---

---

## Description

A data object of class `msList`, consisting of 96 mass spectra generated from a pooled sample of nipple aspirate fluid (NAF) from healthy breasts and breasts with cancer. (see references for details).

## Usage

```
Breast2003QCList
```

## Format

An object of `msList`. See `msList` in package `msProcess` for details.

## Source

<http://bioinformatics.mdanderson.org/pubdata.html>

## References

- Coombes, K.R., Tsavachidis, S., Morris, J.S., Baggerly, K.A., and Kuerer, H.M., "Improved peak detection and quantification of mass spectrometry data acquired from surface-enhanced laser desorption and ionization by denoising spectra with the undecimated discrete wavelet transform," *Proteomics*, **5**:4107–17, 2005.
- Pawlik, T.M., Fritsche, H., Coombes, K.R., Xiao, L., Krishnamurthy, S., Hunt, K.K., Pusztai, L., Chen, J.N., Clarke, C.H., Arun, B., Hung, M.C., and Kuerer, H.M., "Significant differences in nipple aspirate fluid protein expression between healthy women and those with breast cancer demonstrated by time-of-flight mass spectrometry," *Breast Cancer Research and Treatment*, **89**(2):149–57, 2005.
- Kuerer, H.M., Coombes, K.R., Chen, J.N., Xiao, L., Clarke, C., Fritsche, H., Krishnamurthy, S., Marcy, S., Hung, M.C., and Hunt, K.K., "Association between ductal fluid proteomic expression profiles and the presence of lymph node metastases in women with breast cancer," *Surgery*, **136**(5):1061–9, 2004.
- Coombes, K.R., Fritsche, Jr., H.A., Clarke, C., Chen, J.N., Baggerly, K.A., Morris, J.S., Xiao, L.C., Hung, M.C., and Kuerer, H.M., "Quality control and peak finding for proteomics data collected from nipple aspirate fluid by surface-enhanced laser desorption and ionization," *Clinical Chemistry*, **49**(10):1615–23, 2003.

**See Also**

[Breast2003QC](#).

**Examples**

```
if (require("msProcess")) {  
  if (!exists("Breast2003QCList")) data("Breast2003QCList", package="msBreast")  
  
  ## print an this-is-escaped-code{ object  
  Breast2003QCList  
  
  ## print the synopsis of an this-is-escaped-codenormal-bracket31bracket-normal object  
  summary(Breast2003QCList)  
  
  ## plot the 10th spectrum from an this-is-escaped-codenormal-bracket32bracket-normal  
  ## object  
  plot(Breast2003QCList, index=10)  
}
```

# Index

## \*Topic **datasets**

Breast2003QC, [1](#)

Breast2003QCList, [2](#)

Breast2003QC, [1](#), [3](#)

Breast2003QCList, [2](#), [2](#)

msList, [3](#)

msProcess, [2](#), [3](#)

msSet, [2](#)