

Package ‘CCd’

January 20, 2025

Type Package

Title The Cauchy-Cacoullos (Discrete Cauchy) Distribution

Version 1.1

Date 2024-12-07

Author Michail Tsagris [aut, cre]

Maintainer Michail Tsagris <mtsagris@uoc.gr>

Depends R (>= 4.0)

Imports Rfast, stats

Suggests Rfast2, skellam

Description Maximum likelihood estimation of the Cauchy-Cacoullos (discrete Cauchy) distribution. Probability mass, distribution and quantile function are also included. The reference paper is: Papadatos N. (2022). ``The Characteristic Function of the Discrete Cauchy Distribution in Memory of T. Cacoullos". Journal of Statistical Theory Practice, 16(3): 47. <doi:10.1007/s42519-022-00268-6>.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2024-12-07 19:20:01 UTC

Contents

CCd-package	2
cc.mle	2
cc.reg	4
dcc	5
loc0.test	6
Index	8

CCd-package

The Cauchy-Cacoulios (Discrete Cauchy) Distribution.

Description

Functions to estimate the parameters Cauchy-Cacoulios (discrete Cauchy) distribution using maximum likelihood. Probability mass, distribution and quantile function are also included.

Details

Package: CCd
Type: Package
Version: 1.1
Date: 2024-12-07
License: GPL-2

Maintainers

Michail Tsagris <mtsagris@uoc.gr>.

Author(s)

Michail Tsagris <mtsagris@uoc.gr>.

References

Papadatos N. (2022). The characteristic function of the discrete Cauchy distribution In Memory of T. Cacoulios. *Journal of Statistical Theory and Practice*, 16(3): 47.

cc.mle

Maximum likelihood estimation of the CC distribution

Description

Maximum likelihood estimation of the CC distribution.

Usage

```
cc.mle(y)
cc.mle0(y, tol = 1e-7)
```

Arguments

y	A vector with integer values.
tol	The tolerance value to terminate the maximization algorithm.

Details

The function `cc.mle0()` uses the `optimize` function to perform MLE when the location parameter is zero, just as proposed by Papadatos (2022). The function `cc.mle()` uses the `optim` function when the location is not assumed zero.

Value

A list including:

param	For the <code>cc.mle()</code> a vector of the λ and μ parameters.
lambda	For the <code>cc.mle0()</code> the λ parameter.
loglik	The value of the maximized log-likelihood.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

References

Papadatos N. (2022). The characteristic function of the discrete Cauchy distribution In Memory of T. Cacoullos. *Journal of Statistical Theory and Practice*, 16(3): 47.

See Also

[loc0.test](#), [dcc](#), [cc.reg](#)

Examples

```
y <- round( rcauchy(100, 3, 10) )  
cc.mle(y)
```

```
y <- round( rcauchy(100, 0, 10) )  
cc.mle0(y)
```

`cc.reg`*Regression modelling with the CC distribution*

Description

Regression modelling with the CC distribution.

Usage

```
cc.reg(y, x, tol = 1e-6)
```

Arguments

<code>y</code>	The response variable, a vector with integer values.
<code>x</code>	A vector or matrix with with the predictor variables.
<code>tol</code>	The tolerance value to terminate the maximization algorithm.

Details

Regression modelling assuming that the counts follow the CC distribution is implemented.

Value

A list including:

<code>lambda</code>	The λ parameter.
<code>be</code>	The regression coefficients.
<code>loglik</code>	The value of the maximized log-likelihood.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

References

Papadatos N. (2022). The characteristic function of the discrete Cauchy distribution In Memory of T. Cacoullos. *Journal of Statistical Theory and Practice*, 16(3): 47.

See Also

[cc.mle](#)

Examples

```
y <- round( rcauchy(150, 3, 10) )
x <- iris[, 1:2]
cc.reg(y, x)
```

dcc *Density, distribution function and quantile function of the CC distribution*

Description

Density, distribution function and quantile function of the CC distribution.

Usage

```
dcc(y, mu = 0, lambda, logged = FALSE)
pcc(y, mu = 0, lambda)
qcc(p, mu, lambda)
```

Arguments

y	A vector with integer values.
p	A vector with probabilities.
mu	The value of the location parameter μ .
lambda	The value of the scale parameter λ .
logged	Should the logarithm of the density be returned (TRUE) or not (FALSE)?

Details

The density of the CC distribution is computed. The probability mass function of the CC distribution (Papadatos, 2022) is given by $P(X = k) = \frac{\tanh(\lambda\pi)}{\pi} \frac{\lambda}{\lambda^2 + \kappa^2}$.

The cumulative distribution function of the CC distribution is computed. We explore the property of the CC distribution that $P(X = -\kappa) = P(X = \kappa)$, where $\kappa > 0$, to compute the cumulative distribution.

As for the quantile function we use the `optimize` function to find the integer whose cumulative probability matches the given probability. So, basically, the `qcc()` works with left tailed probabilities.

Value

dcc returns a vector with the (logged) density values, the (logged) probabilities for each value of `y`, **pcc** returns a vector with the cumulative probabilities, while **qcc** returns a vector with integer numbers.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

References

Papadatos N. (2022). The characteristic function of the discrete Cauchy distribution In Memory of T. Cacoullos. *Journal of Statistical Theory and Practice*, 16(3): 47.

See Also

[dcc](#), [cc.mle](#)

Examples

```
x <- round( rcauchy(100, 3, 10) )
mod <- cc.mle(x)
y <- dcc(x, mod$param[1], mod$param[3])

pcc(x[1:5], mod$param[1], mod$param[3])
```

loc0.test

Log-likelihood ratio test for zero location parameter

Description

Log-likelihood ratio test for zero location parameter.

Usage

```
loc0.test(y, tol = 1e-7)
```

Arguments

y	A vector with integer values.
tol	The tolerance value to terminate the maximization algorithm.

Details

We perform a log-likelihood ratio test to test whether the location parameter can be assumed zero or not.

Value

A vector with the test statistic and its associated p-value.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

References

Papadatos N. (2022). The characteristic function of the discrete Cauchy distribution In Memory of T. Cacoullos. *Journal of Statistical Theory and Practice*, 16(3): 47.

See Also

[cc.mle](#), [dcc](#)

Examples

```
y <- round( rcauchy(100, 3, 10) )  
loc0.test(y)
```

```
y <- round( rcauchy(100, 0, 10) )  
loc0.test(y)
```

Index

cc.mle, [2](#), [4](#), [6](#), [7](#)
cc.mle0 (cc.mle), [2](#)
cc.reg, [3](#), [4](#)
CCd-package, [2](#)

dcc, [3](#), [5](#), [6](#), [7](#)

loc0.test, [3](#), [6](#)

optim, [3](#)
optimize, [3](#), [5](#)

pcc (dcc), [5](#)

qcc (dcc), [5](#)