

Package ‘SLOS’

February 6, 2025

Type Package

Title ICU Length of Stay Prediction and Efficiency Evaluation

Version 1.0.1

Maintainer Joana da Matta <joana.damatta02@gmail.com>

Description Provides tools for predicting ICU length of stay and assessing ICU efficiency.

It is based on the methodologies proposed by Peres et al. (2022, 2023), which utilize data-driven approaches for modeling and validation, offering insights into ICU performance and patient outcomes. References: Peres et al. (2022)<<https://pubmed.ncbi.nlm.nih.gov/35988701/>>, Peres et al. (2023)<<https://pubmed.ncbi.nlm.nih.gov/37922007/>>.

More information: <<https://github.com/igor-peres/ICU-Length-of-Stay-Prediction>>.

License MIT + file LICENSE

Encoding UTF-8

Imports htrr, MLmetrics, ems, dplyr, ggplot2, magrittr, caretEnsemble,
ranger

Suggests testthat

RoxygenNote 7.3.2

NeedsCompilation no

Depends R (>= 3.5.0)

Author Igor Peres [aut],
Joana da Matta [cre]

Repository CRAN

Date/Publication 2025-02-06 14:10:02 UTC

Contents

load_SLOSModel	2
predict_and_evaluate	2
sampled_data	3
SLOS	3

Index	5
--------------	----------

load_SLOSModel *Load the SLOS model*

Description

This function loads the pre-trained model from the package. It's available on GitHub

Usage

```
load_SLOSModel()
```

Value

The SLOS model

predict_and_evaluate *Predict using the SLOS model*

Description

This function makes predictions using the pre-trained SLOS model and evaluates it based on RMSE, MAE, and R2 values.

Usage

```
predict_and_evaluate(data)
```

Arguments

data A data frame or matrix of new data for prediction.

Value

A list containing the predictions made on the input data, a data frame combining the observed values and predictions side by side, and the RMSE, MAE, and R2.

Examples

```
# Load example data
data(SampledData)

# Make predictions and evaluate
results <- predict_and_evaluate(sampled_data)

# View results
print(results$RMSE)
print(results$MAE)
print(results$R2)
```

sampled_data	<i>Sampled Data</i>
--------------	---------------------

Description

An anonymized dataset with 1000 entries used for testing the SLOS prediction model.

Usage

```
data(SampledData)
```

Format

An object of class "data.frame"

SLOS	<i>SLOS function</i>
------	----------------------

Description

This function is the core of the SLOS package. It generates the prediction for each unit, a funnel plot for the SLOS analysis and a plot comparing observed vs predicted SLOS. To access the funnel plot, run `ems::plot(result$funnel_plot)`.

Usage

```
SLOS(data)
```

Arguments

`data` Data frame or matrix containing testing data

Value

Displays the funnel plot, returns the comparing plot as a ggplot object and the SLOS table.

Examples

```
# Load example data
data(SampledData)

# Call the SLOS function on your data
result <- SLOS(sampled_data)

# Access the comparison plot
result$plot_SLOS_obv_prev
```

```
# Access the predictions for each unit  
result$df_unit_slos
```

```
# The funnel plot will be displayed automatically, and you can access it again by calling  
plot(result$funnel_plot)
```

Index

* **datasets**

sampled_data, [3](#)

load_SLOSModel, [2](#)

predict_and_evaluate, [2](#)

sampled_data, [3](#)

SLOS, [3](#)