



ARAKHNE.ORG
Another Yet Free Software Gateway

L^AT_EX PACKAGES FOR STRUCTURED DOCUMENTS AS FOR UNIFIED PROCESS METHODOLOGY

**L^AT_EX Packages for Structured Documents as for Unified Process
Methodology**

Official Documentation

Reference: UPM-2025-01
Version: 31.0
Updated: 2025/03/15
Status: Public

Authors: STÉPHANE GALLAND , FRANS VAN DUNNÉ

This document describes the L^AT_EX Packages for Structured Documents as for Unified Process Methodology project.

T_EX and L^AT_EX are a trademarks of the American Mathematical Society.
tex-upmethodology is owned by Stéphane Galland, *Arakhnê.org*, France.

This document was realised with L^AT_EX and tex-upmethodology.

Copyright © 2017-2025 Stéphane GALLAND.

This document is published by the Arakhnê.org Group. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publishers.

Reference : UPM-2025-01

Document Summary

| | |
|-------------|--|
| Project | L ^A T _E X Packages for Structured Documents as for Unified Process Methodology |
| Document | Official Documentation |
| Reference | UPM-2025-01 |
| Version | 31.0 |
| Last Update | 2025/03/15 |

Authors

| <i>Names</i> | <i>Comments</i> | <i>Emails</i> |
|------------------|-----------------|---------------------|
| STÉPHANE GALLAND | Original Author | galland@arakhne.org |
| FRANS VAN DUNNÉ | Reviewer | |

Validators

| <i>Names</i> | <i>Comments</i> | <i>Emails</i> | <i>Initials</i> |
|------------------|-----------------|---------------------|-----------------|
| STÉPHANE GALLAND | Original Author | galland@arakhne.org | |

Version History

| <i>Version</i> | <i>Date</i> | <i>Updates</i> |
|----------------|-------------|---|
| 23.0 | 2017/02/17 | Replace the package <code>subfigure</code> by <code>subcaption</code> . |
| 23.1 | 2017/03/10 | Fixing <code>subfigure</code> invalid alignment. |
| 23.2 | 2017/08/08 | Fixing spelling errors and typos. |
| 23.3 | 2017/11/28 | Add <code>'standardlists'</code> option. |
| 23.4 | 2019/08/04 | Add <code>'graphicspathcontext'</code> option. |
| 24.0 | 2019/09/17 | Add class options to include optional packages. |
| 25.0 | 2020/04/06 | Add explanations for <code>\Append</code> and <code>\setdocumentpurpose</code> . |
| 26.0 | 2021/06/03 | Add emphasizing box with titles. |
| 27.0 | 2025/03/14 | Update the documentation for the <code>declareupmtheorem</code> macro and definition environment. |
| 27.1 | 2025/03/15 | Add the mention of the dependency to <code>tobibind</code> in the dependencies of <code>upmmethodology-fmt</code> . |
| 28.0 | 2025/03/15 | Add the macros <code>\defref</code> and <code>\defpageref</code> . |
| 29.0 | 2025/03/15 | Add the optional <code>"source text"</code> to the macros <code>\mfigure</code> and <code>\mfigure*</code> . |
| 30.0 | 2025/03/15 | Add the macros <code>\addsource</code> and <code>\tablenote</code> for the <code>mtable</code> environment. |
| 31.0 | 2025/03/15 | Use the package <code>tcolorbox</code> for implementing <code>mtabular</code> and <code>mtable</code> environments. |

CONTENTS

| | |
|---|-----------|
| Contents | 5 |
| List of Tables | 9 |
| List of Figures | 11 |
| 1 Introduction | 13 |
| I General User Documentation | 15 |
| 2 Download and Installation | 17 |
| 2.1 Download | 17 |
| 2.2 Manual System-wide Installation | 17 |
| 2.3 Manual User-wide Installation | 17 |
| 2.4 Debian Package Installation | 18 |
| 2.5 Package Dependencies | 18 |
| 2.5.1 upmethodology-backpage.sty | 18 |
| 2.5.2 upmethodology-code.sty | 18 |
| 2.5.3 upmethodology-document.cls | 18 |
| 2.5.4 upmethodology-document.sty | 19 |
| 2.5.5 upmethodology-extension.sty | 19 |
| 2.5.6 upmethodology-fmt.sty | 19 |
| 2.5.7 upmethodology-frontpage.sty | 20 |
| 2.5.8 upmethodology-p-common.sty | 20 |
| 2.5.9 upmethodology-spec.sty | 20 |
| 2.5.10 upmethodology-task.sty | 20 |
| 2.5.11 upmethodology-version.sty | 21 |

| | | |
|-----------|---|-----------|
| II | Package Documentation | 23 |
| 3 | Class <code>upmethodology-document</code> | 25 |
| 3.1 | Types of documents | 25 |
| 3.2 | Class options | 26 |
| 3.3 | Additional Features | 26 |
| 4 | Package <code>upmethodology-version</code> | 29 |
| 4.1 | Constants for the Document Status | 29 |
| 4.1.1 | Information about the Document | 29 |
| 4.2 | Register Revisions | 30 |
| 4.3 | Formatted List of Versions | 30 |
| 4.4 | Localization | 31 |
| 5 | Package <code>upmethodology-fmt</code> | 33 |
| 5.1 | Default Configuration for the Package <code>graphicx</code> | 33 |
| 5.2 | Contextual Search Path for <code>graphicx</code> | 33 |
| 5.3 | Figures | 34 |
| 5.3.1 | Macros for Including Figures | 34 |
| 5.3.2 | Macros for Referencing Figures | 35 |
| 5.3.3 | Example without Source Text | 35 |
| 5.3.4 | Example with Source Text | 35 |
| 5.3.5 | Rendering of the source text | 35 |
| 5.4 | Sub-figures | 36 |
| 5.5 | Figures with embedded \TeX macros | 37 |
| 5.5.1 | Include a Combined Picture/ \TeX Figure | 37 |
| 5.5.2 | Floating figure with embedded \TeX macros | 38 |
| 5.5.3 | Helpers for embedded \TeX | 39 |
| 5.6 | Tabulars | 39 |
| 5.7 | Tables | 41 |
| 5.7.1 | Table Components | 42 |
| 5.7.1.1 | Add a Table Note | 42 |
| 5.7.1.2 | Add a Table Source | 42 |
| 5.8 | Enumerations | 43 |
| 5.8.1 | Enumeration Counters | 43 |
| 5.8.2 | Inline Enumeration | 44 |
| 5.9 | Environment <code>description</code> | 45 |
| 5.10 | Descriptions in conjunction with enumeration | 45 |
| 5.10.1 | Environment <code>enumdescription</code> | 46 |

| | |
|---|-----------|
| 5.10.2 Environment <code>enumerate</code> | 47 |
| 5.10.3 Environment <code>enumdescriptionx</code> | 48 |
| 5.11 Footnotes | 49 |
| 5.12 UML diagrams on the side of paragraphs | 50 |
| 5.13 Date formatting | 50 |
| 5.14 Text formatting | 51 |
| 5.15 Symbols | 53 |
| 5.15.1 Symbols in Text Mode | 53 |
| 5.15.2 Symbols in Math Mode | 53 |
| 5.16 Bibliography | 53 |
| 5.17 Theorems and Mathematic Environments | 54 |
| 5.17.1 Definition of a new theorem environment | 54 |
| 5.17.2 Using a defined theorem | 55 |
| 5.17.3 Using the list of theorems | 56 |
| 5.17.4 <code>definition</code> | 56 |
| 5.18 Emphazing Box | 58 |
| 5.19 Framed Boxes or Mini Pages | 59 |
| 5.19.1 With <code>tcolorbox</code> | 60 |
| 5.19.2 With <code>framedminipage</code> | 60 |
| 5.20 Message Boxes | 60 |
| 5.21 Additional Macros for the Table of Content | 61 |
| 5.22 Additional Document Sectioning Macros | 61 |
| 5.22.1 Non-numbered Part in Table of Content | 61 |
| 5.22.2 Non-numbered Chapter in Table of Content | 62 |
| 5.22.3 Non-numbered Section in Table of Content | 62 |
| 5.22.4 Non-numbered Subsection in Table of Content | 62 |
| 5.22.5 Non-numbered Subsubsection in Table of Content | 63 |
| 5.22.6 Chapter with different labels in TOC, headers and document | 63 |
| 5.22.7 Section with different labels in TOC, headers and document | 63 |
| 6 Package <code>upmethodology-document</code> | 65 |
| 6.1 Document Information and Declaration | 65 |
| 6.2 Abstract and Key-words | 65 |
| 6.2.1 Declarations | 66 |
| 6.2.2 Rendering | 66 |
| 6.3 Document Summary | 66 |
| 6.4 Change Icons | 66 |
| 6.5 Document Authors | 67 |

| | | |
|-----------|---|-----------|
| 6.6 | Document Validators | 67 |
| 6.7 | Informed People | 68 |
| 6.8 | Copyright and Publication Information | 68 |
| 6.8.1 | Setting Information | 68 |
| 6.8.2 | Retreiving Information | 69 |
| 6.8.3 | Publication Page | 69 |
| 6.9 | Localization | 69 |
| 7 | Package upmethodology-frontpage | 71 |
| 7.1 | Display the front page | 71 |
| 7.2 | Change Front Page Layout | 71 |
| 7.3 | Change Illustration Picture | 71 |
| 7.4 | Define a Front Page in Extensions | 72 |
| 7.5 | Localization | 73 |
| 8 | Package upmethodology-backpage | 75 |
| 8.1 | Display the back page | 75 |
| 8.2 | Change Back Page Layout | 75 |
| 8.3 | Small text before the back page | 75 |
| 8.4 | Define a Back Page in Extensions | 76 |
| 9 | Package upmethodology-extension | 77 |
| 9.1 | Load a Document Extension | 77 |
| 9.2 | Write a Document Extension | 77 |
| 10 | Package upmethodology-task | 81 |
| 10.1 | Task Definition | 81 |
| 10.2 | Task Reference | 82 |
| 10.3 | Localization | 82 |
| 11 | Package upmethodology-code | 85 |
| 12 | Authors and License | 87 |

LIST OF TABLES

| | | |
|-----|--|----|
| 3.1 | Options of <code>upmethodology-document</code> class | 27 |
| 5.1 | Example of <code>mtable</code> | 42 |
| 5.2 | Example of <code>mtable</code> with a table note | 42 |
| 5.3 | Example of <code>mtable</code> with a table source <i>Source:This is the source of the content</i> | 43 |
| 5.4 | List of supported date formats | 51 |
| 5.5 | List of symbols | 53 |
| 5.6 | List of symbols | 54 |
| 9.1 | List of overiddable value names | 78 |

LIST OF FIGURES

| | | |
|-----|--|----|
| 5.1 | Example of figure inclusion with <code>\mfigure</code> | 35 |
| 5.2 | Example of figure inclusion with <code>\mfigure with source text</code> <i>Source:This text explain the source</i> | 36 |
| 5.3 | Example of subfigures with <code>mfigures</code> | 37 |
| 5.4 | Example of a figure combined with <code>T_EX</code> macros | 39 |
| 6.1 | Example of Publication Page generated with <code>\upmpublicationpage</code> | 70 |
| 7.1 | Front Page Layouts | 72 |

1

INTRODUCTION

This documentation is written for and compiled by the
version 20250315
of tex-upmethodology.

This set of packages enables users to write documents according to the Unified Process Methodology. It was initially written by Stéphane GALLAND from the laboratory “Systèmes et Transports”¹ and is distributed by the *Arakfiné.org* website. The provided packages and classes may also be used for other types of documents (reports, theses...). Since 2012, it is used to support the layout and the style for the PhD theses of the Doctoral School SPIM².

Packages are:

- `upmethodology-version.sty`: makes it possible to set the version and the status of the document. It also makes it possible to manage the document history;
- `upmethodology-fmt.sty`: provides some useful functions to format the UP documents;
- `upmethodology-document.sty`: provides functions to manage the project, the subproject and the status of the document;
- `upmethodology-frontpage.sty`: formats and provides a front page for the document;
- `upmethodology-backpage.sty`: formats and provides a back page for the document;
- `upmethodology-task.sty`: is the *optional* L^AT_EX 2_ε package that provides macros to manage project’s tasks.
- `upmethodology-spec.sty`: is the *optional* L^AT_EX 2_ε package that provides macros to build a specification description.
- `upmethodology-document.cls`: is the L^AT_EX 2_ε class that provides the whole document specification. It is based on book and on the previous packages;
- `upmethodology-code.sty`: provides *optional* macros for source code formatting;
- `upmethodology-extension.sty`: provides macros for extension mechanism.

¹Laboratory *Systèmes et Transport* (IRTES-SET), Institut de Recherche sur le Transport, l’Énergie et la Société (ITRTES), Université de Technologie de Belfort-Montbéliard (UTBM), France, <http://set.utbm.fr/>

²Doctoral School on the Sciences for engineers, and microtechnics, <http://ed-spim.univ-fcomte.fr/>

I

GENERAL USER DOCUMENTATION

2

DOWNLOAD AND INSTALLATION

This chapter describes where to download `tex-upmethodology` and how to install it.

2.1 Download

`tex-upmethodology` is available on the *Arakhne* website: <http://www.arakhne.org/tex-upmethodology/>. Different types of installation are available: manual installation, Debian packages.

2.2 Manual System-wide Installation

To make `tex-upmethodology` available to all users, copy the content of the `tex-upmethodology` archive inside one of your system `texmf` directory, usually one of:

- `/usr/share/texmf-texlive/tex/latex/upmethodology`,
- `/usr/share/texmf/tex/latex/upmethodology`.

The second is to rebuild the \LaTeX databases by invoking on a console (Unix syntax us used):

```
$> sudo mktexlsr
$> sudo update-updmap --quiet
```

`sudo` is a standard Linux tool that allows authorized users to temporarily obtain the administration rights.

2.3 Manual User-wide Installation

To make `tex-upmethodology` available to one user, copy the content of the `tex-upmethodology` archive inside the `$HOME/texmf` directory.

It is not required to rebuild the system-wide \LaTeX databases because the user's `texmf` are dynamically parsed by the \LaTeX distributions.

2.4 Debian Package Installation

Debian packages are available on *Arakhne*.org website: <http://www.arakhne.org/ubuntu.html>. Please follow the given rules.

2.5 Package Dependencies

This section contains the list of all the package dependencies for the `upmethodology` packages.

2.5.1 `upmethodology-backpage.sty`

`upmethodology-backpage` package depends on:

- `upmethodology-extension`
- `upmethodology-p-common`

2.5.2 `upmethodology-code.sty`

`upmethodology-code` package depends on:

- `upmethodology-p-common`

2.5.3 `upmethodology-document.cls`

`upmethodology-document` class depends on:

- `a4wide`
- `hyperref`
- `upmethodology-backpage`
- `upmethodology-code` (optional)
- `upmethodology-document`
- `upmethodology-extension`
- `upmethodology-frontpage`
- `upmethodology-p-common`
- `upmethodology-spec` (optionnal)
- `upmethodology-task` (optionnal)
- `url`

2.5.4 `upmethodology-document.sty`

`upmethodology-document` package depends on:

- `babel`
- `draftwatermark` (only if the document is marked as "draft" or "restricted")
- `upmethodology-extension`
- `upmethodology-fmt`
- `upmethodology-p-common`
- `upmethodology-version`
- `vmargin`

2.5.5 `upmethodology-extension.sty`

`upmethodology-extension` package depends on:

- `upmethodology-p-common`

2.5.6 `upmethodology-fmt.sty`

`upmethodology-fmt` package depends on:

- `bbm`
- `amsmath`
- `amsthm`
- `colortbl`
- `environ`
- `fontawesome5`
- `graphicx`
- `hyphenat`
- `multicol`
- `picinpar`
- `pifont`
- `relsize`
- `setspace`
- `subcaption`
- `tabularx`
- `tcolorbox`
- `thmtools`
- `tikz`
- `titlesec`

- tocbibind
- txfonts
- upmethodology-p-common
- varioref
- xcolor
- xkeyval

2.5.7 upmethodology-frontpage.sty

upmethodology-frontpage package depends on:

- upmethodology-document
- upmethodology-extension
- upmethodology-p-common

2.5.8 upmethodology-p-common.sty

upmethodology-p-common package depends on:

- ifpdf
- ifthen
- xcolor
- xspace

2.5.9 upmethodology-spec.sty

upmethodology-spec package depends on:

- ulem
- upmethodology-code
- upmethodology-fmt
- upmethodology-p-common

2.5.10 upmethodology-task.sty

upmethodology-task package depends on:

- upmethodology-p-common
- upmethodology-version

2.5.11 **upmethodology-version.sty**

upmethodology-version package depends on:

- upmethodology-fmt
- upmethodology-p-common

II

PACKAGE DOCUMENTATION

3

CLASS UPMETHODOLOGY-DOCUMENT

Version: 2025/03/15

The \LaTeX class `upmethodology-document` provides the basic configuration for a document. According to an option, this class is able to extend the standard `book`, `report` or `article` \LaTeX classes. It also include several of the other `upmethodology` packages.

3.1 Types of documents

`upmethodology-document` supports three particular options, which permit to set the type of document:

- **book:** A book-specification is a two-sided document composed of parts and chapters, and with a copyright page and document information page. This option indicates to `upmethodology-document` to load the \LaTeX standard `book` class. In addition the `\part` and `\chapter` macros are supported, and the following macros are automatically expanded: `\makefrontcover`, `\upmpublicationpage`, `\upmdocumentsummary`, `\makebackcover`. This behaviour may be overridden by the other class options.
- **report:** A report-specification is a one-sided document composed of chapters (no part), and with a document information page. This option indicates to `upmethodology-document` to load the \LaTeX standard `report` class. In addition the `\part` macro is ignored¹ and `\chapter` macro is supported, and the following macros are automatically expanded: `\makefrontcover`, `\upmdocumentsummary`, `\makebackcover`. This behaviour may be overridden by the other class options.
- **article:** An article-specification is a one-sided document composed of sections (no part nor chapter). This option indicates to `upmethodology-document` to load the \LaTeX standard `article` class. In addition the `\part` and `\chapter` macros are ignored¹, and the following macros are automatically expanded: `\makefrontcover`, `\makebackcover`. This behaviour may be overridden by the other class options.

¹The macro is redefined to print a warning message when used, no error message is generated.

3.2 Class options

Table 3.1 contains the options supported by `upmethodology-document`. Any option not explicitly supported by the class is directly passed to the underlying standard \LaTeX class (`book`, `report` or `article` according to the type of document, see 3.1).

3.3 Additional Features

`upmethodology-document` provides a constant behaviour for all types of document:

- `hyperref` is loaded and set with the document informations;
- `\setpdfcolor` is redefined and linked to `hyperref`;

| <i>Option</i> | <i>Explanation</i> |
|----------------|--|
| book | see section 3.1. |
| report | see section 3.1. |
| article | see section 3.1. |
| oneside | the document is generated assuming that each page will be printed on its recto side. This option overrides any previous occurrence of <code>twoside</code> option. |
| twoside | the document is generated assuming that each page will be printed on both recto and verso sides. This option overrides any previous occurrence of <code>oneside</code> option. |
| francais | same as <code>french</code> . |
| french | the document is written in French. <code>upmethodology</code> packages use the French translations for the generated texts. This option overrides any previous occurrence of <code>english</code> option. |
| english | the document is written in English. <code>upmethodology</code> packages use the English translations for the generated texts. This option overrides any previous occurrence of <code>french</code> option. |
| documentinfo | invoke <code>\upmdocumentsummary</code> , <code>\upmdocumentauthors</code> , <code>\upmdocumentvalidators</code> , <code>\upmdocumentinformedpeople</code> , and <code>\upmhistory</code> macros at the beginning of the document. This option overrides any previous occurrence of <code>nodocumentinfo</code> option. |
| nodocumentinfo | do not invoke <code>\upmdocumentsummary</code> , <code>\upmdocumentauthors</code> , <code>\upmdocumentvalidators</code> , <code>\upmdocumentinformedpeople</code> , nor <code>\upmhistory</code> macros at the beginning of the document. This option overrides any previous occurrence of <code>documentinfo</code> option. |
| pubpage | invoke <code>\upmpublicationpage</code> macro at the beginning of the document. This option overrides any previous occurrence of <code>nopubpage</code> option. |
| nopubpage | do not invoke <code>\upmpublicationpage</code> macro at the beginning of the document. This option overrides any previous occurrence of <code>pubpage</code> option. |
| standardlist | disable the override of the lists (enumeration, etc.) for restoring the standard L ^A T _E X lists. |
| frontmatter | invoke <code>\frontmatter</code> (and other related macros). |
| nofrontmatter | do not invoke <code>\frontmatter</code> (and other related macros). |
| frontcover | put the cover page at the beginning of the document. |
| nofrontcover | do not put a cover page at the beginning of the document. |
| backcover | put the cover page at the end of the document. |
| nobackcover | do not put a cover page at the end of the document. |
| standardlists | The style does not override the standard list, description and enumeration definitions. |
| codepackage | Include the <code>upmethodology-code</code> package. |
| specpackage | Include the <code>upmethodology-spec</code> package. |
| taskpackage | Include the <code>upmethodology-task</code> package. |

Table 3.1: Options of `upmethodology-document` class

4

PACKAGE UPMETHODOLOGY-VERSION

Version: 2025/03/15

The package `upmethodology-version` makes it possible to set the version and the status of the document. It also provides functions to manage the document history;

4.1 Constants for the Document Status

Some $\text{\LaTeX} 2_{\mathcal{E}}$ variables provides strings that describe the status of the document. They can be used in functions such as `\updateversion`.

- `\upmrestricted`: the document is under a restricted access, generally corresponding to the list of authors;
- `\upmvalidable`: authors indicates with this flag that the document could be sent to validators;
- `\upmvalidated`: the document was validated, but not published;
- `\upmpublic`: the document published and accessible to all people;

4.1.1 Information about the Document

The following functions permit to access to the informations about the document:

- `\theupmversion`: replies the last version number for the document;
- `\upmdate{version}`: replies the updating date of the document corresponding to the given version number;
- `\upmdescription{version}`: replies the updating comment of the document corresponding to the given version number;
- `\upmstatus{version}`: replies the status of the document corresponding to the given version number.
- `\theupmdate`: replies the last updating date for the document. It is equivalent to `\upmdate{\theupmversion}`;

- `\theupmlastmodif`: replies the last updating comment for the document. It is equivalent to `\upmdescription{\theupmversion}`;
- `\theupmstatus`: replies the last status for the document. It is equivalent to `\upmstatus{\theupmversion}`;

4.2 Register Revisions

The package `upmethodology-version` makes it possible to register revisions for building an history. The available functions are:

- `\updateversion{version}{date}{description}{status}`: registers a revision for the document. The revision indicates that the given version was produced at the given date. A small description of the changes and the resulting document's status must be also provided. The function `\updateversion` is a generalization of the following functions;
- `\initialversion[version]{date}{description}{status}`: registers the initial version of the document. If not given, the version is assumed to be `0.1`;
- `\incversion{date}{description}{status}`: registers a revision corresponding to the next major version. For example, if the version number was `2.67` before `\incversion`, this function add the version `3.67` with the given informations (incrementation of the major part of the version number);
- `\incsubversion{date}{description}{status}`: registers a revision corresponding to the next minor version. For example, if the version number was `2.67` before `\incsubversion`, this function add the version `2.68` with the given informations (incrementation of the minor part of the version number);

4.3 Formatted List of Versions

To obtain a formatted list of versions, you could use the macro `\upmhistory[width]` which produces:

| Version History | | |
|-----------------|-------------|---|
| <i>Version</i> | <i>Date</i> | <i>Updates</i> |
| 23.0 | 2017/02/17 | Replace the package <code>subfigure</code> by <code>subcaption</code> . |
| 23.1 | 2017/03/10 | Fixing subfigure invalid alignment. |
| 23.2 | 2017/08/08 | Fixing spelling errors and typos. |
| 23.3 | 2017/11/28 | Add <code>'standardlists'</code> option. |
| 23.4 | 2019/08/04 | Add <code>'graphicspathcontext'</code> option. |
| 24.0 | 2019/09/17 | Add class options to include optional packages. |
| 25.0 | 2020/04/06 | Add explanations for <code>\Append</code> and <code>\setdocumentpurpose</code> . |
| 26.0 | 2021/06/03 | Add emphasizing box with titles. |
| 27.0 | 2025/03/14 | Update the documentation for the <code>declareupmtheorem</code> macro and <code>definition</code> environment. |
| 27.1 | 2025/03/15 | Add the mention of the dependency to <code>tobibind</code> in the dependencies of <code>upmmethodology-fmt</code> . |
| 28.0 | 2025/03/15 | Add the macros <code>\defref</code> and <code>\defpageref</code> . |
| 29.0 | 2025/03/15 | Add the optional <code>"source text"</code> to the macros <code>\mfigure</code> and <code>\mfigure*</code> . |
| 30.0 | 2025/03/15 | Add the macros <code>\addsource</code> and <code>\tablenote</code> for the <code>mtable</code> environment. |
| 31.0 | 2025/03/15 | Use the package <code>tcolorbox</code> for implementing <code>mtabular</code> and <code>mtable</code> environments. |

4.4 Localization

The following macros defines some localized strings used by `upmethodology-version`:

- `\upm@lang@date`: Date;
- `\upm@lang@updates`: Updates;
- `\upm@lang@version`: Version;
- `\upm@lang@version@history`: Version History;

5

PACKAGE UPMETHODOLOGY-FMT

Version: 2025/03/15

The package `upmethodology-fmt` provides some useful facilities to format a document.

5.1 Default Configuration for the Package `graphicx`

The package `graphicx` is included, and the following configuration is applied:

- **Image extensions:** By default, the supported image extensions are, in the preference order: `pdf`, `png`, `jpg`, `jpeg`, `tiff`, `gif`. Note that, the `tiff` picture format is not always supported by the $\text{T}_{\text{E}}\text{X}$ tools.

To redefine these extensions, you must invoke:

```
\DeclareGraphicsExtensions{extensions}
```

where `extensions` must be replaced by a list of extensions separated by comas.

Example: `\DeclareGraphicsExtensions{.pdf, .png, .eps}`

- **Image search path:** By default, the images are search inside the path `"/`. To redefine the search paths, you must invoke: `\graphicspath{{path1},{path2},{path3}...}` where `path1`, `path2`, `path2`, etc. must be replaced by the names of the directories in which the images are located. The paths in the list are separated by comas. *Do not forget to write a slash or a backslash character (depending on the path naming conventions for your operating system) at the end of each path.*

Example: `\graphicspath{./imgs/},{./imgs/auto/}`

5.2 Contextual Search Path for `graphicx`

As described into the previous section, the `graphicx` package is able to search for files into a set of defined paths.

In order to define a search path that is valid for a part of the document, the `graphicspathcontext` environment is defined. This environment redefines the `graphicx` path with the environment's parameter. The original value of the `graphicx` path is restored when exiting of the environment.

Syntax.

```
\begin{graphicspathcontext}{path}
...
\end{graphicspathcontext}
```

The parameter `path` must follow the syntactic definition of the `graphicx` path. If you want to reuse the current value of the `graphicx` path, you could obtain it by using the `\old` macro.

Syntax with `\old`.

```
\begin{graphicspathcontext}{mypath, \old}
...
\end{graphicspathcontext}
```

Note that `\old` must not be inside curly braces.

5.3 Figures

It may be verbose to put \LaTeX code to include a figure inside your document. To simplify your life, you could include a figure with the following macros.

Syntax 1.

```
\mfigure[position]{include_graphics_options}{filename}{caption}{label}[source text]
```

Syntax 2.

```
\mfigure*[position]{include_graphics_options}{filename}{caption}{label}[source text]
```

The difference between `\mfigure` and `\mfigure*` is the same as the difference between `\begin{figure}` and `\begin{figure*}`: the star-version fits to the entire paper width event if the document has two or more columns.

5.3.1 Macros for Including Figures

These two macros make it possible to include an image in your document. The parameters are:

- `position`: is the desired position of the figure (see `\begin{figure}[position]`). It could be `t` (top of the page), `b` (bottom of the page), `h` (at the macro location if possible) or `H` (at macro location);
- `include_graphics_options`: are the options passed to `\includegraphics`;
- `filename`: is the filename passed to `\includegraphics`;
- `caption`: is the caption of the figure (see `\caption{caption}`);
- `label`: is the label used to reference the figure (see `\label{fig:label}`).
- `source text`: is the optional text used to describe the source of the figure. If this value is provided, it is rendered below the caption itself.

5.3.2 Macros for Referencing Figures

Because the two macros above register a label with string starting with `fig:`, we propose the following function to easily access to the figure's references:

- `\figref{label}`: is equivalent to `\ref{fig:label}`;
- `\figpageref{label}`: is equivalent to `\pageref{fig:label}`.

5.3.3 Example without Source Text

The figure 5.1 page 35 is obtained with the macro:

```
\mfigure[ht]{width=.4\linewidth}{slogo}{Example of figure inclusion with
\texttt{\textbackslashmfigure}}{example:mfigure1}
```

The reference and page reference are obtained with `\figref{example:mfigure1}` and `\figpageref{example:mfigure1}`.



Figure 5.1: Example of figure inclusion with `\mfigure`

5.3.4 Example with Source Text

For illustrating the rendering of the source text argument, the figure 5.2 page 36 is obtained with the macro:

```
\mfigure[ht]{width=.4\linewidth}{slogo}{Example of figure inclusion with
\texttt{\textbackslashmfigure with source text}}{example:mfigure2}[This text
explain the source]
```

5.3.5 Rendering of the source text

The source text that could be provided to the macros `\mfigure` or `\mfigure*` is rendered with a specific configuration.

First the color of the source text is defined by `figuresourceforeground`. The default color is `gray`.

The prefix text that is written before the provided source text is defined by the macro `\figuresourcename`.

It is also possible to change the color and the font of the source text by redefining the macro `\mfigureformatsource[1]`. This macro takes one argument that is the source text provided to `\mfigure` or `\mfigure*`.



Figure 5.2: Example of figure inclusion with `\mfigure` with source text

Source: This text explain the source

5.4 Sub-figures

In some case, it is useful to put several images inside the same floating figure, but without loosing the possibility to reference each of the subfigures. This feature was proposed by the package `subcaption`. The following environments provides helper functions for `subcaption`.

Syntax 1.

```
\begin{mfigures}[position]{caption}{label}
...
\end{mfigures}
```

Syntax 2.

```
\begin{mfigures*}[position]{caption}{label}
...
\end{mfigures*}
```

These two macros enable you to include an image in your document. The parameters are:

- `position`: is the desired position of the figure (see `\begin{figure}[position]`). It could be `t` (top of the page), `b` (bottom of the page), `h` (at the macro location if possible) or `H` (at macro location);
- `caption`: is the caption of the figure (see `\caption{caption}`);
- `label`: is the label used to reference the figure (see `\label{fig:label}`).


Inside the environment `\mfigures[*]`, you could use the macro `\mfigure` to properly include a subfigure (the first optional parameter is ignored), or you could use the macro `\msubfigure{options}{file}{caption}`.

The figure 5.3 page 37 is obtained with the environment:

```
\begin{mfigures}{Example of subfigures with \texttt{msubfigures}}{example:msubfigure}
\mfigure{width=.4\linewidth}{img1}{First subfigure}{example:firstsubfigure}
\hspace{1cm}
\msubfigure{width=.4\linewidth}{img2}{Second subfigure}
\end{mfigures}
```

The reference and page reference are obtained with `\figref{example:msubfigure}` and `\figpageref{example:msubfigure}`.

The references to the subfigures could be obtained in two way:

Figure 5.3: Example of subfigures with `mfigures`

- using the label given as the last parameter of `\mfigure`, eg. the label `example:firstsubfigure` corresponds to 5.3a;
- using the label of the enclosing figure to which the index of the subfigure could be appended (in its Roman representation and prefixed by the character “:”), eg. the label `example:msubfigure:b` corresponds to 5.3b;

5.5 Figures with embedded T_EX macros

In several cases it is useful to include T_EX macros inside a figure. It is possible to combine figures and T_EX macros. Several figure editors provide exporting features to obtain combined figures: `xfig`, `inkscape`, `GNU Plot`, etc. Basically, these tools create two files per source figure:

- the figure in PDF or Postscript format (filename extensions, `.pdf` or `.ps`); and
- a T_EX file that contains the macros to put over the figure, and that is including the generated figure. Its filename extension depends on the type of the figure: `.pdftex.t` or `.pdf_tex` for PDF, and `.pstex.t` or `.ps_tex` for Postscript.

To include this combined figure in your document, you simply need to include the generated T_EX file (see below for details).

5.5.1 Include a Combined Picture/T_EX Figure

To include a figure with T_EX macros inside, you must have:

1. a Postscript figure (`.eps`), and a T_EX file `.pstex.t` related to the Postscript figure; or
2. a PDF figure (`.pdf`), and a T_EX file `.pdftex.t` related to the PDF figure.

With the `upmethodology-fmt` package, the inclusion of the figure with embedded T_EX macros is similar to the inclusion of figures with `\includegraphics`. You must type the following macro.

Syntax. `\includegraphicswtex[options]{filename}`

where `options` must be one or more of:

- `width=xxx`: specification of the width of the figure (`xxx` must be replaced by the length);
- `height=xxx`: specification of the height of the figure (`xxx` must be replaced by the length);

If the filename given to the macro `\includegraphicswtx` does not specify a filename extension, the macro tries to add the extensions `.pdftex.t`, `.psttex.t`, `.pdftex`, or `.pstex`, by default. If you want to specify other file extensions, you must use the macro.

Syntax. `\DeclareGraphicsExtensionsWtx{extensions}`

where the `extensions` is a list of file extensions (including the point character), separated by coma characters.

Example. `\DeclareGraphicsExtensionsWtx{.pdftex.t,.psttex.t}`

If the filename does not correspond to a file on the disk, the macro `\includegraphicswtx` tries to find the file in the directories specified in `\graphicspath` (declared in the package `graphicx` for example).

Example. `\graphicspath{./imgs/},{./imgs/additional/}`



Note that each of the given directories must be finished by the separation character of your operating system: `/` on Unix, `\` on Windows. You must always use the Unix standard because it is assumed by a lot of $\text{T}_{\text{E}}\text{X}$ compilers, even on Windows platforms.

Figure 5.4 gives an example of a floating figure combined with $\text{T}_{\text{E}}\text{X}$ macros, which is using the macro `\includegraphicswtx`.

5.5.2 Floating figure with embedded $\text{T}_{\text{E}}\text{X}$ macros

To put a floating figure with $\text{T}_{\text{E}}\text{X}$ macro inside, you may use one of the macros.

Syntax 1. `\mfigurewtx[position]{include_graphics_options}{filename}{caption}{label}`

Syntax 2. `\mfigurewtx*[position]{include_graphics_options}{filename}{caption}{label}`

The parameters are:

- `position`: is the desired position of the figure (see `\beginfigure[position]`). It could be `t` (top of the page), `b` (bottom of the page), `h` (at the macro location if possible) or `H` (at macro location);
- `include_graphics_options`: are the options to pass to `\includegraphicswtx`. For ascendant compatibility, if you pass a length without a key, e.g. `{.8\linewidth}`, the length is assumed to be the width of the figure;
- `filename`: is the name of the file of the figure (see `\includegraphicswtx` for details);
- `caption`: is the caption of the figure (see `\caption{caption}`);
- `label`: is the label used to reference the figure (see `\label{fig:label}`).

The difference between `\mfigurewtx` and `\mfigurewtx*` is the same as the difference between `\beginfigure` and `\beginfigure*`: the star-version fits to the entire paper width event if the document has two or more columns.

Because the two macros above register a label with string starting with `fig:`, the macros `\figref` and `\figpageref` could be used.

Example of a figure combined with \LaTeX macros




Figure 5.4: Example of a figure combined with \TeX macros

Figure 5.4 gives an example of a floating figure combined with \TeX macros. Note that:

- the title of the figure contains the macro `\LaTeX`, which produces: \LaTeX ;
- a small equation, written in \TeX , is put between the two planes;

5.5.3 Helpers for embedded \TeX

To help you to put \TeX macros in a figure, and to define its real test inside the \LaTeX document, several functions are provided:

- `\figmath{id}{expr}` will associate to the given identifier the given mathematical expression,
- `\figtext{id}{expr}` will associate to the given identifier the given text expression;

These expressions, defined with the two previous functions, may be referenced in the figure by a \TeX macro with a name similar to `\FIG δ` , where δ must be replaced by an identifier of your choice and used as parameter of one of the two previous functions (example: `\FIGmyid`).

Figure 5.4 gives an example where the equation is written as: `\FIGexampleofexpression` in the figure, and it is replaced by the real equation with:

```
\figmath{exampleofexpression}{t_i = \sum_i \left(\alpha + \beta\right)}
```

5.6 Tabulars

You could include a tabular inside your document with the following environment.

Syntax. `\begin{mtabular}[width]{ncolumns}{columns}...\end{mtabular}`

This tabular is an extension of the `tabularx` environment which provides dynamic columns with the specifier `X`. The parameters are:

- `width`: is the desired width of the tabular;
- `ncolumns`: is the count of columns in the tabular. It must be consistent with the column description;
- `columns`: is the description of the columns according to the `tabular` and `tabularx` packages.



The following macro is deprecated: `\tabulartitle`.

The `mtabular` environment provides:

- `\tabulartitleinside{title}`
This macro allows you to define the title of the tabular. It uses the colors `tableheaderbackground` and `tableheaderforeground` for the background and the foreground respectively. The title has two lines at the top, and a single line below;
- `\tabularheader{header_1}...\{header_n}`
This macro allows you to define the titles of the columns. It uses the colors `tableheaderbackground` and `tableheaderforeground` for the background and the foreground respectively. Because the count of columns was given to the environment this function takes the same count of parameters as the count of columns. This macro adds a line after the header, *BUT NOT BEFORE*.



Because `\tabularheader` is adding a `\hline` at the end of its expansion. You must put a `\tabularheader` just after `\tabularheader`. Otherwise you may obtain a `TEX` error.

- `\tabulararrowheader{title}`
This macro is designed to be used in the first cell of a row. It is rendering the cell as a row's header. A row header is a cell that is an header for the row. Only the row header cell has the header background color.
- `\tabulartitlespec{column.spec}`
This macro defines the specification of the column used to render the title of the table. The default value of the column specification is `|c|`.

The following example of table is obtained by:

```
\begin{mtabular}[\linewidth]{4}{lXrX}
\tabularheader{Col1}{Col2}{Col3}{Col4}
a & b & c & d \\
\hline
e & f & g & h \\
\tabulartitleinside{Example of second title in the table}
\hline
\tabulararrowheader{i} & j & k & l \\
\tabularheader{Col1-2}{Col2-2}{Col3-2}{Col4-2}
m & n & o & p \\
\end{mtabular}
```


| <i>Col1</i> | <i>Col2</i> | <i>Col3</i> | <i>Col4</i> |
|---|---------------|---------------|---------------|
| a | b | c | d |
| e | f | g | h |
| Example of second title in the table | | | |
| <i>i</i> | <i>j</i> | <i>k</i> | <i>l</i> |
| <i>Col1-2</i> | <i>Col2-2</i> | <i>Col3-2</i> | <i>Col4-2</i> |
| m | n | o | p |

5.7 Tables

You could include a table inside your document with the following environment:

```
\begin{mtable}[options]{width}{ncolumns}{columns}{caption}{label}...\end{mtable}
```

This environment is based on the `mtabular` environment. The parameters are:

- **options:** are the options to pass to the `mtable` environment:
 - a table placement composed of one or more of the following characters. The order in which the placement options are specified does not make any difference, as the placement options are always attempted in the order `h-t-b-p`. Thus `[hb]` and `[bh]` are both attempted as `h-b`. The more float placement options are given to \LaTeX , the better it handles float placement. Consequently, and because we want a simple \TeX code in the background, all the permutations are not supported by the `mtable` environment. We recommend to put placement letters in the order they appear in the following list:
 - * `h`: Place the float here, i.e., approximately at the same point it occurs in the source text (however, not exactly at the spot),
 - * `t`: Position at the top of the page,
 - * `b`: Position at the bottom of the page,
 - * `p`: Put on a special page for floats only,
 - * `H`: Places the float at precisely the location in the \LaTeX code. Requires the `float` package. This is somewhat equivalent to `h!`;
 - * `!`: Override internal parameters \LaTeX uses for determining “good” float positions,
 If you specify more than one table placement in the options, the last one is used.
 - `size=<macro>`: specify the size of the text in the table (by default, `\normalsize`);
- **width:** is the desired width of the table (ie., the `tabular` inside the table);
- **ncolumns:** is the count of columns in the table (ie., the `tabular` inside the table). It must be consistent with the column description;
- **columns:** is the description of the columns according to the `tabular` and `tabularx` packages;
- **caption:** is the caption of the table;
- **label:** is the label referencing the table.

Because the `mtable` environment registers a label with a string starting with `tab:`, the following functions are proposed to easily access to the table’s references:

- `\tabref{label}`: is equivalent to `\ref{tab:label}`;
- `\tabpageref{label}`: is equivalent to `\pageref{tab:label}`.

The table 5.1 page 42 is an illustration of the following \LaTeX code:

```
\begin{mtable}{\linewidth}{4}{lXrX}{Example of \texttt{mtable}}{example:mtable}
\thead{Col1}{Col2}{Col3}{Col4}
a & b & c & d \\
\hline
e & f & g & h \\
\end{mtable}
```

| <i>Col1</i> | <i>Col2</i> | <i>Col3</i> | <i>Col4</i> |
|-------------|-------------|-------------|-------------|
| a | b | c | d |
| e | f | g | h |

Table 5.1: Example of `mtable`

5.7.1 Table Components

The package provides several macros that could help you to configure, update or add a component of the table.

5.7.1.1 — Add a Table Note

A table note is a note that is rendered below the table and its caption. This macro changes the text of the table note.

Syntax. `\tablenote{text}`

Example. The table 5.2 is an illustration of the following \LaTeX code:

```
\begin{mtable}{\linewidth}{4}{lXrX}{Example of \texttt{mtable} with a table
note}{example:mtable2}
\tablenote{This is the text of the note}
\thead{Col1}{Col2}{Col3}{Col4}
a & b & c & d \\
\hline
e & f & g & h \\
\end{mtable}
```

| <i>Col1</i> | <i>Col2</i> | <i>Col3</i> | <i>Col4</i> |
|-------------|-------------|-------------|-------------|
| a | b | c | d |
| e | f | g | h |

Table 5.2: Example of `mtable` with a table note

This is the text of the note

5.7.1.2 — Add a Table Source

A table source is a text that is describing the source of the content of the table.

Syntax. `\addsource{text}`

Example. The table 5.3 is an illustration of the following \LaTeX code:

```
\begin{mtable}{\linewidth}{4}{lXrX}{Example of \texttt{mtable} with a table
source}{example:mtable3}
\addsource{This is the source of the content}
\tabularheader{Col1}{Col2}{Col3}{Col4}
a & b & c & d \\
\hline
e & f & g & h \\
\end{mtable}
```

| <i>Col1</i> | <i>Col2</i> | <i>Col3</i> | <i>Col4</i> |
|-------------|-------------|-------------|-------------|
| a | b | c | d |
| e | f | g | h |

Table 5.3: Example of `mtable` with a table source

Source: This is the source of the content

5.8 Enumerations

The package `upmethodology-fmt` provides a set of macros dedicated to enumeration lists.

5.8.1 Enumeration Counters

Sometimes it is useful to start an enumeration list from a specific given number. This package provides several macros for saving and restoring the counter use by the enumeration lists.



Only one counter could be saved at a given time. It means that you cannot save the counters for an enumeration and for an enclosing enumeration at the same time.

Two general macros are defined for helping you to save a counter value into the global variable:

- `\savecounter{name}`
save the value of the counter identified by the given name in a global variable. The name of the counter must be previously defined with one of the standard \LaTeX or \TeX macros, e.g. `\newcounter`;
- `\restorecounter{name}`
put the previously saved value into the counter with the given name. The name of the counter must be previously defined with one of the standard \LaTeX or \TeX macros, e.g. `\newcounter`;

The counter is extensively used in enumeration lists. The following macros will help you for managing the enumeration counter:

- `\setenumcounter{value}`
force the value of the counter used by the enumeration environments;

- `\getenumcounter`
replies the value of the counter used by the enumeration environments;
- `\saveenumcounter`
save the value of the counter used by the enumeration environment with `\savecounter`;
- `\restoreenumcounter`
restore the value of the counter used by the enumeration environment with `\restorecounter`.

Example:. The following \LaTeX code produces the result below:

```
This is a text: \begin{enumerate}
  \item This is an item.
  \item This is another item.
  \saveenumcounter
\end{enumerate}
This is a text in the between.
\begin{enumerate}
  \restoreenumcounter
  \item The list goes on
  \item and on.
\end{enumerate}
This is a second text in the between.
\begin{enumerate}
  \setenumcounter{18}
  \item The list goes on again
  \item and on.
\end{enumerate} This is the text after.
```

This is a text:

1. This is an item.
2. This is another item.

This is a text in the between.

3. The list goes on
4. and on.

This is a second text in the between.

18. The list goes on again
19. and on.

This is the text after.

5.8.2 Inline Enumeration

In several document, an enumeration of things is written inside a paragraph instead of inside a list of points.

Example:. The following \LaTeX code produces the result below:

```
This is a text: \begin{inlineenumeration}
\item first thing;
\item second thing;
```

```
\item etc.
\end{inlineenumeration} This is the text after.
```

This is a text: (i) first thing; (ii) second thing; (iii) etc. This is the text after.

5.9 Environment description

The environment `description` is redefined as following.

Syntax.

```
\begin{description}[separator]
\item[desc] text
\end{description}
```

The text put in place of `desc` represents the text which may be emphasized in the description item. The `separator` is the text that is inserted at the end of the head of each description item.

Example 1. The following \LaTeX code, using Roman numbers, produces the description just below:

```
\begin{description}
\item[first thing] this is a text for the first thing;
\item[second thing] this is a text for the second thing;
\item[more] etc.
\end{description}
```

- **first thing:** this is a text for the first thing;
- **second thing:** this is a text for the second thing;
- **more:** etc.

Example 2. The following \LaTeX code produces the description just below:

```
\begin{description}[///  
\item[first thing] this is a text for the first thing;  
\item[second thing] this is a text for the second thing;  
\item[more] etc.  
\end{description}
```

- **first thing///** this is a text for the first thing;
- **second thing///** this is a text for the second thing;
- **more///** etc.

5.10 Descriptions in conjunction with enumeration

It may be helpful to put a list of descriptions in conjunction with an enumeration. In other words, the following environment provides a mix between the standard \LaTeX environments `description` and `enumerate`.

5.10.1 Environment `enumdescription`

The environment `enumdescription` is:

Syntax.

```
\begin{enumdescription}[type]
\item[desc] text
\end{enumdescription}
```

where the `type` is the type of the enumeration. It may be one of:

- “i”: for an enumeration with Roman numbers (this is the default),
- “1”: for an enumeration with Arabic numbers,
- “a”: for an enumeration with letters.

The text put in place of `desc` represents the text which may be emphasized in the description item.

To change the rendering of the labels, you must redefined the macro as:

```
\renewcommand{\enumdescriptionlabel}[1]{ ... #1 ... }
```

To change the separator between the counter and the description, you must redefined the macro as:

```
\renewcommand{\enumdescriptioncounterseparator}{ ... }
```

To change the separator between the description and the rest of the text, you must redefined the macro as:

```
\renewcommand{\enumdescriptionlabelseparator}{ ... }
```

Example 1. The following \LaTeX code, using Roman numbers, produces the enumerated description just below:

```
\begin{enumdescription}
\item[first thing] this is a text for the first thing;
\item[second thing] this is a text for the second thing;
\item[more] etc.
\end{enumdescription}
```

i - first thing: this is a text for the first thing;

ii - second thing: this is a text for the second thing;

iii - more: etc.

Example 2. The following \LaTeX code, using numeric numbers, produces the enumerated description just below:

```
\begin{enumdescription}[1]
\item[first thing] this is a text for the first thing;
\item[second thing] this is a text for the second thing;
\item[more] etc.
\end{enumdescription}
```

- 1 - first thing:** this is a text for the first thing;
- 2 - second thing:** this is a text for the second thing;
- 3 - more:** etc.

Example 3. The following \LaTeX code, using letter numbers, produces the enumerated description just below:

```
\begin{enumdescription}[a]
\item[first thing] this is a text for the first thing;
\item[second thing] this is a text for the second thing;
\item[more] etc.
\end{enumdescription}
```

- a - first thing:** this is a text for the first thing;
- b - second thing:** this is a text for the second thing;
- c - more:** etc.

5.10.2 Environment `enumerate`

The environment `enumerate` exists in the standard \LaTeX distributions. The UPM package redefines this environment to provide a behavior similar to the one of the environment `enumdescription`.

Additionally, you could specify the format of the counter in the first optional parameter. This format is a text in which the first occurrence of one of the following characters is replaced by the value of the counter with the associated number format:

- 1: the counter is an arabic number;
- a: the counter is a sequence of lower-case alphabetic letters;
- A: the counter is a sequence of upper-case alphabetic letters;
- i: the counter is a lower-case roman number;
- I: the counter is an upper-case roman number.

Example 1. The following \LaTeX code produces a list, which is similar to the one generated by the standard \LaTeX environment `enumerate`:

```
\begin{enumerate}
\item this is a text for the first thing;
\item this is a text for the second thing;
\item etc.
\end{enumerate}
```

- 1.** this is a text for the first thing;
- 2.** this is a text for the second thing;
- 3.** etc.

Example 2. The following \LaTeX code illustrates how the environment is reacting to a given description:

```
\begin{enumerate}
\item this is a text for the first thing;
\item[description] this is a text for the second thing;
\item etc.
\end{enumerate}
```

1. this is a text for the first thing;
2. **description:** this is a text for the second thing;
3. etc.

Example 3. The following \LaTeX code illustrates the alphabetic counter specification. Note that the parenthesis characters are directly rendered in the list:

```
\begin{enumerate}[(a)]
\item this is a text for the first thing;
\item this is a text for the second thing;
\item etc.
\end{enumerate}
```

- (a) this is a text for the first thing;
- (b) this is a text for the second thing;
- (c) etc.

Example 4. The following \LaTeX code illustrates the roman counter specification. Note that the dot character is directly rendered in the list:

```
\begin{enumerate}[I.]
\item this is a text for the first thing;
\item this is a text for the second thing;
\item etc.
\end{enumerate}
```

- I. this is a text for the first thing;
- II. this is a text for the second thing;
- III. etc.

5.10.3 Environment `enumdescriptionx`

The environment `enumdescriptionx` extends the environment `enumdescription` by enabling a finer configuration with more parameters.

Syntax.

```
\begin{enumdescriptionx}[type]{counter\_prefix}{counter\_postfix}
\item[desc] text
\end{enumdescriptionx}
```


where the `type` is the type of the enumeration. It may be one of:

- “i”: for an enumeration with Roman numbers (this is the default),
- “1”: for an enumeration with Arabic numbers,
- “a”: for an enumeration with letters.

The text put in place of `desc` represents the text which may be emphasized in the description item. The text `counter_prefix` is put before all the counter values in the enumeration. The text `counter_postfix` is put after all the counter values in the enumeration.

To change the rendering of the labels, you must redefined the macro as:

```
\renewcommand{\enumdescriptionlabel}[1]{ ... #1 ... }
```

Example. The following \LaTeX code, using letter numbers, produces the enumerated description just below:

```
\begin{enumdescriptionx}[a]{$\langle \rangle$}{$\langle \rangle$}
\item[first thing] this is a text for the first thing;
\item[second thing] this is a text for the second thing;
\item[more] etc.
\end{enumdescriptionx}
```

<a> - **first thing:** this is a text for the first thing;

**** - **second thing:** this is a text for the second thing;

<c> - **more:** etc.

5.11 Footnotes

The package `upmethodology-fmt` provides a set of macros allowing to save the reference number of a footnote and to recall this reference many time as required.

- `\savefootnote{footnote text}{footnote id}`
put a footnote and mark it with the corresponding label.
Example: `\savefootnote{This is an example of a recallable footnote}{footrecalla}1;`
- `\savefootnote*{footnote text}{footnote id}`
mark a footnote with the corresponding label but do not put in the current page.
Example 1: `\savefootnote*{This is a second example of a recallable footnote}{footrecallb};`
Example 2: `\savefootnote*{This is a third example of a recallable footnote}{footrecallc}.`
- `\reffootnote{footnote id}`
recall the footnote reference without page number.
Example 1: `\reffootnote{footrecalla}1 = B;`
example 2: `\reffootnote{footrecallb}2 = A;`
example 4: `\reffootnote{footrecalld}?? = ?.`

¹This is an example of a recallable footnote

²This is a second example of a recallable footnote

- `\reffootnote*{footnote id}`
recall the footnote reference with the page number if different of the current page.
Example 1: `\reffootnote*{footrecalla}1(49)`;
example 2: `\reffootnote*{footrecallb}2(49)`;
example 3: `\reffootnote*{footrecallc}33`;
example 4: `\reffootnote*{footrecalld}??(??)`.


5.12 UML diagrams on the side of paragraphs

The package `upmethodology-fmt` provides an environment that makes it possible to put an UML diagram (or any other picture) on the side of a paragraph.

- `\begin{umlinpar}[width]{picture_path}`
`text`
`\end{umlinpar}`
put the specified picture on the side of the given text. The optional parameter `width` corresponds to the desired width of the picture. By default it is `.5\linewidth`.

This paragraph is an typical example of the usage of the environment `umlinpar`. To obtain it, the following \LaTeX code was typed:

```
\begin{umlinpar}{smalllogo}
This paragraph is an typical example
of the usage of the environment
\texttt{umlinpar}.
\end{umlinpar}
```



5.13 Date formatting

Because the concept of date was important and unfortunately localized, this package provides a set of functions to define and extract information from dates (the supported date formats are described in table 5.4):

- `\makedate{day}{month}{year}`
allows you to create the text corresponding to the given date according to the current localized date format.
- `\extractyear{formatted_date}`
extract the year field from a date respecting the localized date format.
- `\extractmonth{formatted_date}`
extract the month field from a date respecting the localized date format.
- `\extractday{formatted_date}`
extract the day field from a date respecting the localized date format.

³This is a third example of a recallable footnote

| | |
|------------|----------------|
| yyyy/mm/dd | default format |
| dd/mm/yyyy | french format |

Table 5.4: List of supported date formats

5.14 Text formatting

The package `upmethodology-fmt` provides a set of macros to format the text.

- `\textsup{text}`
put a text as exponent in text mode instead of the basic \LaTeX exponent in math mode. In opposite to the standard \LaTeX macro `\textsuperscript`, this macro adds an extra space after the macro when needed.
Example: `\textsup{this is an exponent}`this is an exponent this is the following text;
- `\textup{text}`
same as `\textsup`.
- `\textsub{text}`
put a text as indice in text mode instead of the basic \LaTeX indice in math mode. In opposite to `\textsubscript`, this macro adds an extra space after the macro when needed. In opposite to `\textdown`, the size of the text is not changed in the text down.
Example: `\textsub{this is an indice}`this is an indice this is the following text;
- `\textdown{text}`
put a text as indice in text mode instead of the basic \LaTeX indice in math mode. In opposite to `\textsubscript`, this macro adds an extra space after the macro when needed. In opposite to `\textsub`, the size of the text is changed in the text down.
Example: `\textdown{this is an indice}`this is an indice this is the following text;
- `\textsubscript{text}`
put a text as indice in text mode instead of the basic \LaTeX indice in math mode. As for the standard \LaTeX macro `\textsuperscript`, this macro does not add an extra space after the macro.
Example: `\textsubscript{this is an indice}`this is an indice this is the following text;
- `\Emph{text}`
put a *very important* text. This macro is similar to the standard \LaTeX macro `\emph`. The difference is: `\emph` is for “important things”; and `\Emph` is for “very important things”.
Example: This text is `\emph{important}`, but this one is `\Emph{very important}` gives: This text is *important*, but this one is **very important**;
- `\makename[von]{first name}{last name}`
format the specified people name components according to the document standards. By default, the format `first von last` is used.
Example: `\makename[von]{Ludwig Otto Frederik Wilhelm}{Wittelsbach}`,
“LUDWIG OTTO FREDERIK WILHELM VON WITTELSBACH”;
- `\upmmakename[von]{first name}{last name}{separator}`
format the specified people name components according to the document standards. By default, the format `first von last` is used.
Example: `\upmmakename[von]{Ludwig Otto Frederik Wilhelm}{Wittelsbach}{/}`,
“LUDWIG OTTO FREDERIK WILHELM/von/WITTELSBACH”;
- `\makenamespacing{name}`
format the specified name to be sure that the spaces after the points of the initials are demi-spaces.
Example: `\makenamespacing{S.G.}Galland`,
“S. G. Galland”;

- `\makelastname{name}`
format the specified last/family name.
Example: `\makelastname{Galland}`,
“GALLAND”;
- `\makefirstname{name}`
format the specified first name.
Example: `\makefirstname{Stéphane}`,
“STÉPHANE”;
- `\prname[von]{first name}{last name}`
`\prname*[von]{first name}{last name}`
format the specified people name components according to the document standards for *Professor* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.
Example 1: `\prname{Pierre}{Martin}`, “PR. PIERRE MARTIN”;
Example 2: `\prname*{Pierre}{Martin}`, “PIERRE MARTIN, PR.”;
- `\drname[von]{first name}{last name}`
`\drname*[von]{first name}{last name}`
format the specified people name components according to the document standards for *Doctor* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.
Example 1: `\drname{Pierre}{Martin}`, “DR. PIERRE MARTIN”;
Example 2: `\drname*{Pierre}{Martin}`, “PIERRE MARTIN, DR.”;
- `\phdname[von]{first name}{last name}`
`\phdname*[von]{first name}{last name}`
format the specified people name components according to the document standards for *Philosophiae-Doctor* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.
Example 1: `\phdname{Pierre}{Martin}`, “PH.D. PIERRE MARTIN”;
Example 2: `\phdname*{Pierre}{Martin}`, “PIERRE MARTIN, PH.D.”;
- `\scdname[von]{first name}{last name}`
`\scdname*[von]{first name}{last name}`
format the specified people name components according to the document standards for *Scientiae-Doctor* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.
Example 1: `\scdname{Pierre}{Martin}`, “SC.D. PIERRE MARTIN”;
Example 2: `\scdname*{Pierre}{Martin}`, “PIERRE MARTIN, SC.D.”;
- `\mdname[von]{first name}{last name}`
`\mdname*[von]{first name}{last name}`
format the specified people name components according to the document standards for *Medicinae-Doctor* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.
Example 1: `\mdname{Pierre}{Martin}`, “M.D. PIERRE MARTIN”;
Example 2: `\mdname*{Pierre}{Martin}`, “PIERRE MARTIN, M.D.”;
- `\pengname[von]{first name}{last name}`
`\pengname*[von]{first name}{last name}`
format the specified people name components according to the document standards for *Professional/Chartered Engineer* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.
Example 1: `\pengname{Pierre}{Martin}`, “CENG. PIERRE MARTIN”;
Example 2: `\pengname*{Pierre}{Martin}`, “PIERRE MARTIN, CENG.”;
- `\iengname[von]{first name}{last name}`
`\iengname*[von]{first name}{last name}`

format the specified people name components according to the document standards for *Incorporated Engineer* title. By default, the format `first von last` is used. The star-ed version is post-fixed, the non-star-ed version is prefixed.

Example 1: `\iengname{Pierre}{Martin}`, “IENG. PIERRE MARTIN”;

Example 2: `\iengname*{Pierre}{Martin}`, “PIERRE MARTIN, IENG.”.

5.15 Symbols

5.15.1 Symbols in Text Mode

The package `upmethodology-fmt` provides several symbols in text mode, and described inside the table 5.5.

| | |
|--------------------------|--|
| <code>\arakhneorg</code> | <i>Ara</i> <i>k</i> <i>fin</i> <i>é</i> .ORG |
| <code>\copyright</code> | © |
| <code>\trademark</code> | ™ |
| <code>\regmark</code> | ® |
| <code>\smalltrade</code> | ™ |
| <code>\smallreg</code> | ® |
| <code>\smallcopy</code> | © |
| <code>\ust</code> | st |
| <code>\und</code> | nd |
| <code>\urd</code> | rd |
| <code>\uth</code> | th |

Table 5.5: List of symbols

5.15.2 Symbols in Math Mode

The package `upmethodology-fmt` provides several symbols in math mode, and described inside the table 5.6.

5.16 Bibliography

The package `upmethodology-fmt` provides a set of macros allowing to manage the bibliography. The default bibliography style is `abbr`.

- `\bibliographystyle{style}`
set the bibliography style to use.
Example: `\bibliographystyle{alpha}`;
- `\bibliography{file}`
set the BIBTEX file to use.
Example: `\bibliography{mybib}`;

| Sets | |
|--------------------------|---------------------------|
| <code>\R</code> | \mathbb{R} |
| <code>\N</code> | \mathbb{N} |
| <code>\Z</code> | \mathbb{Z} |
| <code>\Q</code> | \mathbb{Q} |
| <code>\C</code> | \mathbb{C} |
| <code>\powerset p</code> | $\mathcal{P}p$ |
| Operators | |
| <code>\sgn expr</code> | $\operatorname{sgn} expr$ |

Table 5.6: List of symbols

- `\bibsiz{size}`
set the font size used for the bibliography section.
Example: `\bibsiz{\Huge}`;

5.17 Theorems and Mathematic Environments

The package `upmethodology-fmt` defines several environments and macros that are based on the `theorem` or the math API of \LaTeX .

5.17.1 Definition of a new theorem environment

The theorem API from this package is based on the standard `tcolorbox` package. If you want to create a new theorem environment based on the style provided by this package, you could invoke `\declareupmtheorem`:

Syntax.

```
\declareupmtheorem[name of the tcolorbox style][name of the  $\text{\LaTeX}$  environment]{label
of the theorem}{title of the theorems' list}{prefix for the label keys}{name of the
theorem's list}{macro for formatting the source}
```

This macro defines:

- the environment with the given "name of the \LaTeX environment", and
- the macro `\listof<name of the \LaTeX environment>s`.

The name of the `tcolorbox` style is the name of the `tcolorbox` style to be used. This style must be defined according to the `tcolorbox` package documentation. By default, it is `upmdefinition`.

The label of the theorem is the text to put in the theorem header, e.g., `Definition`.

The title of the theorems' list is used by the macro `\listof<name of the \LaTeX environment>s` as the title of the associated chapter/section.

By default, the theorem environment defines a label for the theorem box. The prefix for the label keys is the prefix that is automatically appended to the label. For example, if this prefix is set to "prefix", and the theorem is invoked with a label value "thekey", then the theorem environment will automatically generate the macro `\label{prefix:thekey}` in the theorem environment.

The name of the theorems' list is identifier of the list in which the theorem adds entries. This list could be displayed with the macro `\listof<name of the \LaTeX environment>s`.

The macro for formatting the source is \LaTeX macro that could be followed by the source text of theorem. It is usually used for formatting this source text in the lower part of the theorem box.



The macro `\declareupmtheorem` can be used only inside the preamble of your document.

5.17.2 Using a defined theorem

After defining an environment, you could use it as a regular \LaTeX environment, which takes three parameters:

- the title of the theorem in the box,
- the key for the implicit `\label` macro, and
- the optional argument that is the text of the source. The source of the theorem is rendered in the lower part of the theorem box. Usually, it corresponds to the reference to a scientific article or an Internet page.

Example 1. The following code define the environment `mytheorem` and use it without source text:

```
\documentclass{upmethodology-document}
\declareupmtheorem{mytheorem}{My Theorem}{List of my Theorems}{thm}{mytheorem}{\textbf}
\begin{document}
```

Read the theorem `\ref{thm:mytheo}`.

```
\begin{mytheorem}{Theorem of Everything}{mytheo}
This is the theorem of Everything.
\end{mytheorem}
```

```
\end{document}
```

gives the result:

Read the theorem 1.

My Theorem 1: Theorem of Everything

This is the theorem of Everything.

Example 2. The following code define the environment `mytheorem` and use it with a source text:

```
\documentclass{upmethodology-document}
\declareupmtheorem{mytheorem}{My Theorem}{List of my Theorems}{thm}{mytheorem}{\textbf}
\begin{document}
```

Read the theorem `\ref{thm:mytheo2}`.

```
\begin{mytheorem}{Theorem of Everything}{mytheo2}[description of the source]
This is the theorem of Evereything.
\end{mytheorem}

\end{document}
```

gives the result:

Read the theorem 2.

My Theorem 2: Theorem of Everything

This is the theorem of Everything.

description of the source

Reference the defined theorem. You could add a reference to a defined theorem by using one of the following macros:

- `\ref{<label of the theorem>:<Label of the theorem>}` for showing the definition's number, e.g., 2 for the theorem above.
- `\pageref{<label of the theorem>:<Label of the theorem>}` for showing the definition's page, e.g., 56 for the theorem above.

5.17.3 Using the list of theorems

When a theorem is defined, the it is possible to creation a chapter (in books or reports) or a section (in articles) that lists all the defined theorems. In order to do so, you could use the "listof" macro that is automatically created when defining the theorem. The following code define the environment `mytheorem` and shows the list of defined `mytheorems`:

```
\documentclass{upmethodology-document}
\declareupmtheorem{mytheorem}{My Theorem}{List of my Theorems}{thm}{mytheorem}{\textbf}
\begin{document}

\begin{mytheorem}{Theorem of Everything}{mytheo}
This is the theorem of Evereything.
\end{mytheorem}

\listofmytheorems

\end{document}
```

5.17.4 definition

The package `upmethodology-fmt` defines the environment `definition` to put a definition in your document. This environment is based on the `theorem` environment explained in the previous sections. The `definition` takes one optional parameter: the name of the definition.

Example 1. The following \LaTeX code:

```
\begin{definition}{Name of the definition}{Label of the definition}
  Text of the definition.
\end{definition}
```

produces:

Definition 1: Name of the definition

Text of the definition.

It is also possible to provide the source of the definition by adding the optional parameter as in the following example.

Example 2.

```
\begin{definition}{Name of the definition}{Label of the definition}[This is the source]
  Text of the definition.
\end{definition}
```

The result of this definition declaration is:

Definition 2: Name of the definition

Text of the definition.

Source: This is the source

Reference the definition. You could add a reference to a definition by using one of the following macros:

- `\defref{<Label of the definition>}` for showing the definition's number, e.g., 3 for the definition above.
- `\defpageref{<Label of the definition>}` for showing the definition's page, e.g., 58 for the definition above.

Change the colors of the definition:. You could change the colors of the definition environment by redefining the colors below with one of the macros `\definecolor` or `\colorlet`:

- `definitionbackground` is the color of the background of the definition;
- `definitionborder` is the color of the frame and of the header's background;
- `definitionheaderforeground` is the color of the text in the header of the definition;
- `definitiontextforeground` is the color of the text in the body of the definition.
- `definitionsourceforeground` is the color of the text in the lower part of the definition in which the source is rendered.

Example of color redefinition: The following \LaTeX code:

```
\definecolor{definitionheaderforeground}{rgb}{.3,.5,.8}
\colorlet{definitionbackground}{gray!20}
\colorlet{definitionborder}{red}
\begin{definition}{Name of the definition}{Label of the definition}
  Text of the definition.
\end{definition}
```

produces:



5.18 Emphazing Box


If you want to create a text that is emphazed with a box, you could use the environment:

Syntax. `\begin{emphbox}[width] text \end{emphbox}`

Example. The following \LaTeX code:

```
\begin{emphbox} [.7\linewidth]
This is an emphazed text.
\end{emphbox}
```

produces:




Emphazing Box with a Title. Three additional boxes are provided. All of them are output a title, and has a different background color:

```
\begin{titleemphbox}[width]{title} text \end{titleemphbox}
\begin{titleemphbox2}[width]{title} text \end{titleemphbox2}
\begin{titleemphbox3}[width]{title} text \end{titleemphbox3}
```

The following \LaTeX code:

```
\begin{titleemphbox} [.7\linewidth]{The title}
This is an emphazed text.
\end{titleemphbox}
```


produces:



The following \LaTeX code:

```
\begin{titleemphbox2} [.7\linewidth]{The title}
This is an emphazed text.
\end{titleemphbox2}
```


produces:



The following L^AT_EX code:

```
\begin{titleemphbox3} [.7\linewidth]{The title}
This is an emphazed text.
\end{titleemphbox3}
```

produces:




Change the colors of the emphazing box. You could change the colors of the `emphbox` environment by redefining the colors below with one of the macros `\definecolor` or `\colorlet`:

- `emphboxbackground` is the color of the background of the environment;
- `emphboxborder` is the color of the frame;
- `emphboxtext` is the color of the text in the body of the environment.
- `emphboxbackgroundb` is the color of the background of the second environment with title;
- `emphboxbackgroundc` is the color of the background of the third environment with title;

Example of color redefinition. The following L^AT_EX code:

```
\colorlet{emphboxbackground}{gray!20}
\colorlet{emphboxborder}{red}
\begin{emphbox}
This is an emphazed text.
\end{emphbox}
```

produces:



5.19 Framed Boxes or Mini Pages

There is two API that are available for created framed boxes. The first one is `tcolorbox`, that is the one use by default in this package. The second approach is based on the `framedminipage` macros defined in this package.

5.19.1 With tcolorbox

`tcolorbox` provides an environment for colored and framed text boxes with a heading line. Optionally, such a box can be split in an upper and a lower part. The package `tcolorbox` is included by default, with its `theorems` extension. It can be used for the setting of \LaTeX examples where one part of the box displays the source code and the other part shows the output. Another common use case is the setting of theorems (see Section 5.17).

More information could be found on <https://www.ctan.org/pkg/tcolorbox> or <https://github.com/T-F-S/tcolorbox>.

5.19.2 With framedminipage


Standard \LaTeX distribution provides the `minipage` environment. This environment allows you to put a small piece of page inside your document. The package `upmethodology-fmt` provides two framed extensions of the original `minipage` environment: `framedminipage` and `framedcolorminipage`.

The prototypes of these two new environments are, respectively:

- `\begin{framedminipage}{width} ... \end{framedminipage}`
- `\begin{framedcolorminipage}{width}{border_color}{background_color} ... \end{framedcolorminipage}`


Example of `framedminipage`. The following \LaTeX code:

```
\begin{framedminipage}{.75\linewidth}
This is a text inside a framed minipage.
\end{framedminipage}
```

produces: 

Example of `framedcolorminipage`. The following \LaTeX code:

```
\begin{framedcolorminipage}{.75\linewidth}{red}{yellow}
This is a text inside a framed minipage with colors.
\end{framedcolorminipage}
```

produces: 

5.20 Message Boxes

The package `upmethodology-fmt` provides a set of environment to put emphasis message boxes in the text. Three types of boxes are supported: caution, information, and question.

```

\begin{upmcaution}[width]
This is an example of a caution
message.
\end{upmcaution}


\begin{upminfo}[width]
This is an example of an information
message.
\end{upminfo}

\begin{upmnote}[width]
This is an example of a note message.
\end{upmnote}

\begin{upmquestion}[width]
This is an example of a question
message.
\end{upmquestion}

\begin{upmaction}[width]
This is an example of an action
message.
\end{upmaction}

```



5.21 Additional Macros for the Table of Content

The macro `\newpageintoc` makes it possible to insert a page break inside the table of contents (toc). It may be used to avoid orphan titles in the toc.

5.22 Additional Document Sectioning Macros

The package `upmethodology-fmt` provides several macros that permit to create special sections.

5.22.1 Non-numbered Part in Table of Content

If you want to add a document part that has no part number but appearing inside the table of content, the classical \LaTeX macros `\part` and `\part*` are inefficient. Indeed, `\part` is adding a numbered part inside the table of content, and `\part*` is adding an unnumbered part but not inside the table of content.

To add an unnumbered part inside the table of content, you could use one of the macros:

Syntax 1. `\parttoc[toctitle]{title}`

Syntax 2. `\parttoc*[toctitle]{title}`

The macros `\parttoc` and `\parttoc*` have the same effect except that `\parttoc*` aligns the part's title to the other numbered parts' titles; and `\parttoc` not.

5.22.2 Non-numbered Chapter in Table of Content

If you want to add a document chapter that has no chapter number but appearing inside the table of content, the classical \LaTeX macros `\chapter` and `\chapter*` are inefficient. Indeed, `\chapter` is adding a numbered chapter inside the table of content, and `\chapter*` is adding an unnumbered chapter but not inside the table of content.

To add an unnumbered chapter inside the table of content, you could use one of the macros:

Syntax 1. `\chaptertoc[toctitle]{title}`

Syntax 2. `\chaptertoc*[toctitle]{title}`

The macros `\chaptertoc` and `\chaptertoc*` have the same effect except that `\chaptertoc*` aligns the chapter's title to the other numbered chapters' titles; and `\chaptertoc` not.

5.22.3 Non-numbered Section in Table of Content

If you want to add a document section that has no a section number but appearing inside the table of content, the classical \LaTeX macros `\section` and `\section*` are inefficient. Indeed, `\section` add a numbered section inside the table of content, and `\section*` adds an unnumbered section but not inside the table of content.

To add an unnumbered section inside the table of content, you could use one of the macros:

Syntax 1. `\sectiontoc[toctitle]{title}`

Syntax 2. `\sectiontoc*[toctitle]{title}`

The macros `\sectiontoc` and `\sectiontoc*` have the same effect except that `\sectiontoc*` aligns the section's title to the other numbered sections' titles; and `\sectiontoc` not.

5.22.4 Non-numbered Subsection in Table of Content

If you want to add a document subsection that has no subsection number but appearing inside the table of content, the classical \LaTeX macros `\subsection` and `\subsection*` are inefficient. Indeed, `\subsection` is adding a numbered subsection inside the table of content, and `\subsection*` is adding an unnumbered subsection but not inside the table of content.

To add an unnumbered subsection inside the table of content, you could use one of the macros:

Syntax 1. `\subsectiontoc[toctitle]{title}`

Syntax 2. `\subsectiontoc*[toctitle]{title}`

The macros `\subsectiontoc` and `\subsectiontoc*` have the same effect except that `\subsectiontoc*` aligns the subsection's title to the other numbered subsections' titles; and `\subsectiontoc` not.

5.22.5 Non-numbered Subsubsection in Table of Content

If you want to add a document subsubsection that has no subsubsection number but appearing inside the table of content, the classical \LaTeX macros `\subsubsection` and `\subsubsection*` are inefficient. Indeed, `\subsubsection` is adding a numbered subsubsection inside the table of content, and `\subsubsection*` is adding an unnumbered subsubsection but not inside the table of content.

To add an unnumbered subsubsection inside the table of content, you could use one of the macros:

Syntax 1. `\subsubsectiontoc[toctitle]{title}`

Syntax 2. `\subsubsectiontoc*[toctitle]{title}`

The macros `\subsubsectiontoc` and `\subsubsectiontoc*` have the same effect except that `\subsubsectiontoc*` aligns the subsubsection's title to the other numbered subsubsections' titles; and `\subsubsectiontoc` not.

5.22.6 Chapter with different labels in TOC, headers and document

If you want to control the labels in the table of contents (TOC), the headers and the document for a chapter, the classical \LaTeX macros `\chapter` and `\chapter*` are inefficient.

Syntax. `\chapterfull[toctitle]{title}{headertitle}`

The macro create a chapter with the given label “title” in the core part of the document, with the given label “toctitle” in the table of contents, and with the label “headertitle” in the headers.

5.22.7 Section with different labels in TOC, headers and document

If you want to control the labels in the table of contents (TOC), the headers and the document for a section, the classical \LaTeX macros `\section` and `\section*` are inefficient.

Syntax. `\sectionfull[toctitle]{title}{headertitle}`

The macro create a section with the given label “title” in the core part of the document, with the given label “toctitle” in the table of contents, and with the label “headertitle” in the headers.

6

PACKAGE UPMETHODOLOGY-DOCUMENT

Version: 2025/03/15

The package `upmethodology-document` provides base functions to manage document information (project, subproject, authors...).

6.1 Document Information and Declaration

The informations associated to an UP document are:

- `\theupmproject` is the name of the project for which the document was produced;
- `\theupmsubproject` is the name of the sub-project for which the document was produced;
- `\theupmdocname` is the name of the document;
- `\theupmdocref` is the reference number of the document;
- `\theupmfulldocname` is the complete name of the document (composing by the project, sub-project and name of the document).

You could declare the information about your document with one of the following functions:

```
\declaredocument{project}{name}{ref}  
\declaredocumentex{project}{subproject}{name}{ref}
```

where the parameters are:

- `project` is the name of the project the document belongs to;
- `subproject` is the name of the sub-project the document belongs to;
- `name` is the name of the document;
- `ref` is the reference number of the document.

6.2 Abstract and Key-words

You are able to declare the abstract and the key-words for your document. Both are basically used by the back page package.

6.2.1 Declarations

The macro `\setdocabstract` is for entering the document's abstract:

```
\setdocabstract[lang]{abstract_text}
```

where `abstract_text` is the text of your abstract and `lang` designates for which language the abstract text is for. If the language is not specified, this macro uses the current document language.

The macro `\setdockeywords` is for entering the document's key-words:

```
\setdockeywords[lang]{keywords}
```

where `keywords` is the list of key-words and `lang` designates for which language the key-words are for. If the language is not specified, this macro uses the current document language.

6.2.2 Rendering

The macro `\theupmdocabstract` is expanded with the abstract text:

```
\theupmdocabstract
```

The macro `\theupmdockeywords` is expanded with the key-words:

```
\theupmdockeywords
```

6.3 Document Summary

You can obtain a document summary with the macro `\upmdocumentsummary[width]` which produces:

| Document Summary | |
|------------------|--|
| Project | LaTeX Packages for Structured Documents as for Unified Process Methodology |
| Document | Official Documentation |
| Reference | UPM-2025-01 |
| Version | 31.0 |
| Last Update | 2025/03/15 |

6.4 Change Icons

By default, this package uses the logo of *Arakfné.org* as icons. You could change them with the macros:

- `\defupmsmalllogo{filename}` defines the small logo used in the headers for instance;
- `\defupmlogo{filename}` defines the logo used on the front page for instance.

The logos' filenames are accessible with the functions `\theupmsmalldoclogo` and `\theupmdoclogo`.

6.5 Document Authors

An author is someone who participates to the writing of the document. You could register author identities with:

```
\addauthor[email]{firstname}{name}
\addauthor*[email]{firstname}{name}{comment}
\addauthorvalidator[email]{firstname}{name}
\addauthorvalidator*[email]{firstname}{name}{comment}
```

The list of the authors is accessible by two means:

- `\theauthorlist` is a coma-separated list of the authors' names;
- `\upmdocumentauthors` produces an array of all the authors (see below for an example).

| Authors | | | |
|------------------|-----------------|---------------------|--|
| <i>Names</i> | <i>Comments</i> | <i>Emails</i> | |
| STÉPHANE GALLAND | Original Author | galland@arakhne.org | |
| FRANS VAN DUNNÉ | Reviewer | | |

You could test if a string is the name of the author with:

- `\ifdocumentauthor{lowercasename}{then}{else}`; the first parameter **must** be lower case. If the `lowercasename` is the name of one of the authors, then the `then` clause is expanded, otherwise the `else` clause is expanded.

| Authors | | | |
|------------------|-----------------|---------------------|--|
| <i>Names</i> | <i>Comments</i> | <i>Emails</i> | |
| STÉPHANE GALLAND | Original Author | galland@arakhne.org | |
| FRANS VAN DUNNÉ | Reviewer | | |

6.6 Document Validators

A validator is someone who participates to the validation of the document. You could register validator identities with:

```
\addvalidator[email]{firstname}{name}
\addvalidator*[email]{firstname}{name}{comment}
\addauthorvalidator[email]{firstname}{name}
\addauthorvalidator*[email]{firstname}{name}{comment}
```

The list of the validators is accessible by two means:

- `\thevalidatorlist` is a coma-separated list of the validator's names;
- `\upmdocumentvalidators` produces an array of all the validators (see below for an example).

| Validators | | | |
|------------------|-----------------|---------------------|-----------------|
| <i>Names</i> | <i>Comments</i> | <i>Emails</i> | <i>Initials</i> |
| STÉPHANE GALLAND | Original Author | galland@arakhne.org | |

6.7 Informed People

An informed people is someone who receives the document to be informed about its content. You could register informed people identities with:

```
\addinformed[email]{firstname}{name}
\addinformed*[email]{firstname}{name}{comment}
```

The list of the informed people is accessible by two means:

- `\theinformedlist` is a coma-separated list of the informed people's names;
- `\upmdocumentinformedpeople` produces an array of all the informed people (see below for an example).

6.8 Copyright and Publication Information

Package `upmethodology-document` provides several macros to define the copyright owner and the publication informations required to generate a publication page.

6.8.1 Setting Information

The Copyright holder(s) are person(s) or institution(s), that own the copyright on the document. The following macro allows you to set the identity of the copyright holder in all parts of the documents:

```
\setcopyrighter{name}
```

Publisher is the people or the institution, or both, which is publishing the document. Basically it is the same the copyrighter (see above):

```
\setpublisher{name}
```

Some times, copyright laws depend on the location where the document is printed. The following macro allows you to put a message in the publication page which is indicating where the document is printed:

```
\setprintingaddress{address}
```

Publications may be identifier by international identifiers. Package `upmethodology-document` supports ISBN, ISSN and DOI: `\setisbn{number}`

```
\setissn{number}
```

```
\setdoi{number}
```

The specific text may be provided for explaining the purpose of the document. The text is shown into the copyright page. In order to change the document's purpose, the following macro is provided:

```
\setdocumentpurpose{text}
```

6.8.2 Retrieving Information

The information set by the macros described in the previous section may be retrieved with the following macros:

```
\theupmcopyrihter
\theupmpublisher
\theupmprintedin
\theupmisbn
\theupmissn
\theupmdoi
```

6.8.3 Publication Page

The package `upmethodology-document` provides the `\upmpublicationpage` macro which is displaying a empty page with publication informations and optionally set the page number (default value is `-1`). Figure 6.1 illustrates the publication page of this document.

6.9 Localization

The current language is defined in the macro `\upmcurrentlang`.

For testing the current language, you could use the macro `\ifuplang{lang_id}{then macros}{else macros}`. This macro tests if the given `lang_id` corresponds to the value expended by the macro `\upmcurrentlang`. If it is true, the macros specified in the “then macros” are expanded. Otherwise, the macros specified in the “else macros” are expanded.

The following macros defines some localized strings used by `upmethodology-document`:

- `\upm@lang@project`: Project;
- `\upm@lang@document`: Document;
- `\upm@lang@docref`: Reference;
- `\upm@lang@lastupdate`: Last Update;
- `\upm@lang@document@summary`: Document Summary;
- `\upm@lang@document@authors`: Authors;
- `\upm@lang@document@validators`: Validators;
- `\upm@lang@document@names`: Names;
- `\upm@lang@document@emails`: Emails;
- `\upm@lang@document@initials`: Initials;
- `\upm@lang@document@abstract`: Abstract;
- `\upm@lang@document@keywords`: Key-words.




Figure 6.1: Example of Publication Page generated with `\upmpublicationpage`

7

PACKAGE UPMETHODOLOGY-FRONTPAGE

Version: 2025/03/15

The `upmethodology-frontpage` package provides a front page for the UP documents. This package does not provides any public function. It is based on all the previous packages.

7.1 Display the front page

The front cover is displayed by invoking one of the following macros:

```
\maketitle  
\makefrontcover
```

7.2 Change Front Page Layout

It is possible to change the layout of the front page with the macro:

```
\setfrontlayout{layout_name}
```

where `layout_name` must be one of:

- `classic`: classic front page layout with title and logo;
- `modern`: front page layout with title and logo and background picture.


The figure 7.1 illustrates the different layouts.

7.3 Change Illustration Picture

It is possible to insert an illustration picture on the front page. You could specify the image with the macro:

```
\setfrontillustration[width_factor]{filename}
```

where:



(a) classic

(b) modern

Figure 7.1: Front Page Layouts

- `width_factor` is the scaling factor of the picture according to the line width. If you specifies 1 the image will not be scaled, for .5 the image will be the half of its original width...
- `filename` is the name of picture to use as the illustration.

7.4 Define a Front Page in Extensions

The `upmethodology-frontpage` package is able to use a page layout defined in a document extension (see chapter 9 for details on document extension).

A \LaTeX macro must be defined in the `upmext-NAME.cfg` file of the extension. The name of this macro (for example `mylayout`) must be set with the `\set` macro in the same file:

```
\Set{frontpage}{mylayout}
```

7.5 Localization

The following macros defines some localized strings used by `upmethodology-frontpage`:

- `\upm@lang@front@authors`: Authors;

8

PACKAGE UPMETHODOLOGY-BACKPAGE

Version: 2025/03/15

The package `upmethodology-backpage` provides a back page for the UP documents. This package does not provides any public function. It is based on all the previous packages.

8.1 Display the back page

The back cover is displayed by invoking the following macro:
`\makebackcover`

8.2 Change Back Page Layout

It is possible to change the layout of the back page with the macro:
`\setbacklayout{layout_name}`
where `layout_name` must be one of:

- `none`: no back page.

8.3 Small text before the back page

It is possible to insert a text at the bottom of the page just before the back page (usually the inner page of the cover for a two sided document). You must set the macro `backcovermessage` with the `\Set` macro:
`\Set{backcovermessage}{text}`

8.4 Define a Back Page in Extensions

The `upmethodology-backpage` package is able to use a page layout defined in a document extension (see chapter 9 for details on document extension).

A \LaTeX macro must be defined in the `upmext-NAME.cfg` file of the extension. The name of this macro is `backpage`, and it must be set with the `\Set` macro in the same file:

```
\Set{backpage}{ $\text{\TeX}$  macros}
```

9

PACKAGE UPMETHODOLOGY-EXTENSION

Version: 2025/03/15

The package `upmethodology-extension` provides tools to create layout and rendering extensions. It is possible to write an extension to the `upmethodology-document` package. An extension is able to override several values from the default `upmethodology-packages` or may be used by the other suite's packages. For example, the Systems and Transport laboratory¹⁽¹³⁾ extension is providing laboratory's icons, publisher's name and page layouts.

9.1 Load a Document Extension

To load and use a document extension, you must invoke the macro:

```
\UseExtension{extension_name}
```

where `extension_name` is the identifier of the extension to load. The extension's files must be inside your \LaTeX search path.

9.2 Write a Document Extension

A document extension could be written and described inside a file named `upmext-NAME.cfg`, where `NAME` is the name of the extension. This file must be put in your \LaTeX search path.

The `upmext-NAME.cfg` file is a \LaTeX file in which a set of definition macros are put. These macros must respect the \LaTeX syntax.

The `\DeclareCopyright` macro enables you to declare additional copyright information about the extension:

```
\DeclareCopyright[lang]{extension_name}{year}{copyrighter}{trademark and copyright information}
```

This macro declares the `copyright` value which contains the copyright text (for this documentation “”). This macro also declares the `trademarks` value which contains the trademark and other related informations about the extension (for this documentation “”).

Additional macros are provided to redefine the `upmethodology-document` constants:

```
\Set[lang]{variable_name}{value}
```

The `variable_name` is the name of the value to override. It must be taken in one of the names listed in table 9.1. The `lang` parameter is a language identifier. It is used to restrict the definition to a specific language. If not given, the default language is used instead. The `image_name` and `image_scale` are the name of the image file and the scaling factor respectively.

| <i>Value Name</i> | <i>Description</i> |
|--------------------------------|--|
| <code>logo</code> | the filename of the picture which must be used as a large logo. |
| <code>smalllogo</code> | the filename of the picture which must be used as a small logo. |
| <code>copyrighter</code> | the name of the authors or the institution which own the copyright on the document. |
| <code>publisher</code> | the name of the document's publisher. The <code>lang</code> parameter is supported. |
| <code>printedin</code> | the location/address where this document is printed. |
| <code>frontillustration</code> | the image to use as illustration. The <code>lang</code> parameter is ignored. |
| <code>frontpage</code> | the name of the front page style — not the \LaTeX macros — to layout the front page. OR the front page illustration. |
| <code>backpage</code> | the \LaTeX macros to layout the back page. OR the back page illustration. |
| <code>cfrontpage</code> | the \LaTeX macros — not the name of the front page style — to layout the front page. |

Table 9.1: List of overridable value names

The `\Get` macro allows you to retrieve the value defined by a `\Set`:

```
\Get{variable_name}
```

The `\Append` macro allows you to append text to an existing definition of a value:

```
\Append{variable_name}{text to append}
```

The `\Unset` macro allows you to remove the definition of a value:

```
\Unset{variable_name}
```

The `\Ifnotempty` macro allows you to expand the \LaTeX macros if the given text is not empty:

```
\Ifnotempty{text}{latex_code}
```

The `\Ifempty` macro allows you to expand the \LaTeX macros if the given text is empty:

```
\Ifempty{text}{latex_code}
```

The `\Ifelsedefined` macro allows you to expand the \LaTeX macros in `then_code` if a value with the given name was defined, or to expand the \LaTeX macros in `else_code` if no value with the given name was defined:

```
\Ifelsedefined{value_name}{then_code}{else_code}
```

The `\Put` macro is an extension of the standard picture `\put` macro. It takes into account the joint margin applied in two sided documents when it is used on page's backside (eg. the back page of the document):

```
\Put(x,y){macros}
```

This macro must be used inside a `picture` environment in place of the standard `\put` macro.

10

PACKAGE UPMETHODOLOGY-TASK

Version: 2025/03/15

The \LaTeX package `upmethodology-task` provides a set of macros to define project's tasks.

During \LaTeX compilation this package could log the message "Project Task(s) may have changed. Rerun to get cross-references right" when some task information was not found or due to cross-references on them.

10.1 Task Definition

The definition of a task could be made only inside one of the following environments:

```
\begin{taskdescription}{id}... \end{taskdescription}
\begin{taskdescription*}{id}... \end{taskdescription*}
```

where `id` is the identifier of the task.

The environment `taskdefinition` displays the task's description with a call to `\thetaskdescription{id}`. On the other hand, `taskdefinition*` never displays the task's description.

Inside one of the task's definition environment above, you could use one of the following macros to define the task's attributes:

- `\taskname{name}`
to define the name of the task;
- `\tasksuper{id}`
indicates that the current task is a sub-task of the task identified by the given identifier;
- `\taskcomment{text}`
to describe the task's purposes and goals (will be shown in the description box of the task's description);
- `\taskprogress{percent}`
to set the percentage for task achievement;
- `\taskstart{date}`
to set the starting date of the task (real or predicted);
- `\taskend{date}`
to set the finished date of the task (real or predicted);

- `\taskmanager{name}`
to add a task's manager into the list of the managers;
- `\taskmember{name}`
to add a task's member into the list of the members;
- `\taskmilestone{date}{comment}`
to add a milestone into the task for the given date and described by the given comment.

10.2 Task Reference

You could reference any information about the defined tasks in your document. In case you used cross-references this package could log the message "Project Task(s) may have changed. Rerun to get cross-references right" to complain about rebuilding of our document.

The following macros are available:

- `\thetasksuper{id}`
replies the identifier of the parent task corresponding to the task identified by `id`;
- `\thetaskname{id}`
replies the name of the the task identified by `id`;
- `\thetaskcomment{id}`
replies the description for the the task identified by `id`;
- `\thetaskprogress{id}`
replies the archiving percent for the the task identified by `id`;
- `\thetaskstart{id}`
replies the starting date for the the task identified by `id`;
- `\thetaskend{id}`
replies the ending date for the the task identified by `id`;
- `\thetaskmanagers{id}`
replies the managers' list for the the task identified by `id`;
- `\thetaskmembers{id}`
replies the members' list for the the task identified by `id`;
- `\thetaskmilestones{id}`
replies the list of milestone's dates for the the task identified by `id`;
- `\thetaskmilestonecomment{id}{date}`
replies the comment of the given milestone for the the task identified by `id`;
- `\thetaskdescription[width]{id}`
replies the complete description of the the task identified by `id`.

10.3 Localization

The following macros defines some localized strings used by `upmethodology-task`:

- `\upm@task@lang@task`: Task;

- \upm@task@lang@escription: Description;
- \upm@task@lang@startat: Start at;
- \upm@task@lang@endat: End at;
- \upm@task@lang@archieved: Achieved;
- \upm@task@lang@managers: Managers;
- \upm@task@lang@members: Members;
- \upm@task@lang@Milestones: Milestones;
- \upm@task@lang@subtask: Sub-task of.

11

PACKAGE UPMETHODOLOGY-CODE

Version: 2025/03/15

The L^AT_EX package `upmethodology-code` provides a set of macros for source code formatting. The supported source codes are UML, Java and C++.

You could load the package with the following options:

| | |
|-------------------|--------------------------------------|
| <code>uml</code> | use the UML notation (default value) |
| <code>java</code> | use the Java notation |
| <code>cpp</code> | use the C++ notation |

You could also change the notation language with the macro:

```
\upmcodeLang{upm|java|cpp}
```

The provided macros are listed in the following table:

| macro | UML | Java | C++ |
|--|-------------------------|-------------------------|-------------------------|
| Prototypes | | | |
| <code>\jclass{TheClass}</code> | <code>THECLASS</code> | <code>THECLASS</code> | <code>THECLASS</code> |
| <code>\jinterface{TheInterface}</code> | <i>TheInterface</i> | <i>TheInterface</i> | <i>TheInterface</i> |
| <code>\jpackage{ThePackage}</code> | <code>THEPACKAGE</code> | <code>THEPACKAGE</code> | <code>THEPACKAGE</code> |
| <code>\jfunc{FunctionName}</code> | FunctionName | FunctionName | FunctionName |
| Types | | | |
| <code>\jclazz</code> | class | Class | class |
| <code>\jvoid</code> | void | void | void |
| <code>\jboolean</code> | boolean | boolean | bool |
| <code>\jint</code> | integer | int | int |
| <code>\jlong</code> | long integer | long | long |
| <code>\jfloat</code> | float | float | float |
| <code>\jdouble</code> | double | double | double |
| <code>\jchar</code> | character | char | char |
| <code>\jstring</code> | string | STRING | STD::STRING |
| <code>\jarray{T}</code> | array of Ts | T[] | T[] |
| <code>\jcollection{T}</code> | collection of Ts | COLLECTION <T> | STD::VECTOR <T> |
| <code>\jset{T}</code> | set of Ts | SET <T> | STD::SET <T> |

| macro | UML | Java | C++ |
|----------------------------------|-------------|-------------|-------------|
| Constants | | | |
| <code>\jtrue</code> | TRUE | TRUE | TRUE |
| <code>\jfalse</code> | FALSE | FALSE | FALSE |
| Operations | | | |
| <code>\jcode{source code}</code> | source code | source code | source code |
| <code>\jcall{fct}{params}</code> | fct(params) | fct(params) | fct(params) |
| <code>\jop{operator}</code> | operator | operator | operator |

12

AUTHORS AND LICENSE

Copyright © 2017-2025 STÉPHANE GALLAND

This program is free library; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; see the file COPYING. If not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.